

			N 10	
	NX	X	Ely	
	Alconbury		0	1 100
Barton		Prove 1	1050	ham
	200	3 4	5	S A
	61MT	Northstowe	5	NA
Lodge			-/	Newmar
Nerringsv	o St Neo <b>10 11</b>	12 13	14	
19	15 16	171. 18	19	20
A state	Card IV		1.5	
	Sandy 26 22	23 24	25	26
Kentlord 7.9	Biggl 27 e 28	29 30	31	32 Hav
Ye Ve		terson Pres		5
Gazo	hefford 33 34	35 36	Saffron Walden	37
AA	Baldock	1 I	1	M
tey Cally	Hitchin	Burtingford M11	9	Thaxted
lev		an one has a type out hit		
oad	Legena			
Street Dus	Study Area			
Upend Lidg	Cambridge	City Boundary		
outro Quitro	South Cam	bridaeshire Bou	Indarv	
u Green		Extonto		
Ŭ.		Extents		
Wickha	100yr			
- Cherry	1000yr			
ndley T				
1				
Bartiardiste	Notes			
1 M	The Modelled Flood	Extents map combi	nes multip	le model
	outputs to indicate mod and 1 in 1000 year (0.1	delled extents for the %) flood events. The	1 in 100 y model out	/ear (1%) outs were
Kedington	provided by the Environ	ment Agency (EA).		
HY L	Models included in these	e are as follows:		
1 -51	- Cam Lodes Model (20 - Cam Lirban Model (20	12) 12)		
	- Cam Rural Model (201 Coldbarra Brook Mada	4) (2012)		
Rauth	- Gough Way Model (20	17)		
- De Fi	- Lower Ouse Model (20 - Vicars Brook Model (20	009)		
teal Birdbrook	The main type of mode	l utilised by these is a	n ISIS-TuF	LOW 1D-
Stambourne	2D model. However, th model.	ne Vicars Brook moo	lel is a 2D	JFLOW
Green				
Stam				
inhood Toppesfie				
TUCA				
15		1:180,000 @ A3	Date: 26/0	)7/2021
KM	Sheet Number:	Drawn: MD	Checked:	PJ
database rights.	Master	Figure: 48444/4005/0	GIS025	Rev A
		L		



	Alconbury Weald		Ely	nam
PT OPENIA AND AND AND AND AND AND AND AND AND AN	SY -	NorthLowe		Navmar
North Fer Setchell's Farm 4 - Std- (Track) 9	Sandy <sup>o</sup> Pottor Bigglesware	ver	Saffron Walden	5
e oc	Hitchin Legend	M11 Burtingford		Thaxted
SE North Hill	Cambridge South Cam Modelled Flood	City Boundary bridgeshire Bou <b>Extents</b>	undary	
Field of B	100yr			
DEN A	Notes The Modelled Flood outputs to indicate moo and 1 in 1000 year (0.1 provided by the Environ	Extents map combin felled extents for the %) flood events. The ment Agency (EA).	nes multip 1 in 100 y model outp	le model /ear (1%) puts were
Aldroth Field	Models included in these - Cam Lodes Model (20' - Cam Urban Model (20' - Cam Rural Model (201 - Coldhams Brook Mode - Gough Way Model (20 - Lower Ouse Model (20 - Vicars Brook Model (20)	e are as follows: 12) 4) 6] (2013) 17) 15) 009)		
Pravilie Fravilie France Tologa France Tologa Aldre	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021
	1 of 37	Drawn: MD	Checked:	PJ
database rights.		Figure: 48444/4005/0	GIS025	Rev A



A - Sala Sec	Alconbury Weald Study Bagleswee Bagleswee Bagleswee Bagleswee Badock Bad	City Boundary bridgeshire Bou Extents	Saffron Walden	ham Newmart Haw
Fon High C Br	Notes The Modelled Flood outputs to indicate moc and 1 in 1000 year (0.1 provided by the Environ	Extents map combin lelled extents for the %) flood events. The ment Agency (EA).	nes multip 1 in 100 y model outp	le model /ear (1%) outs were
Manor	Models included in these	e are as follows:		
ch ge snwillow Farry	- Cam Lodes Model (20) - Cam Urban Model (20) - Cam Rural Model (201 - Coldhams Brook Mode - Gough Way Model (20) - Lower Ouse Model (20) - Vicars Brook Model (20)	12) 12) 4) 1(2013) 17) 15) 209)		
Sch Swavesoy	The main type of model 2D model. However, th model.	utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW
2 km	Sheet Number	1:23,970 @ A3	Date: 26/0	07/2021
	2  of  37	Drawn: MD	Checked:	PJ
tabase rights.	2 01 37	Figure: 48444/4005/0	GIS025	Rev A



7-Y	Alconbury Weald	AN	Ely	
1	To the	e Notificatione	6301	ham
16 = 1	stNec	1		Nevman
	Sandy <sup>2</sup> Potton			~
inithey Fen Engine (Pumping Station) ithey Fen Farm	hefford	-v-	Saffron Walden	3
	Baldock	Buntingford	3	Thaxted
	Legend			
$\geq$ V	Study Area			
	Cambridge	City Boundary		
-182	South Cam	bridgeshire Bou	undary	
1 miles		Extents		
i West	10091			
	100091			
- Anne	Notes			
	The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	Extents map combined delled extents for the %) flood events. The ment Agency (EA).	nes multipl 1 in 100 y model outp	le model /ear (1%) outs were
Lee Lee	Models included in these	e are as follows:		
ant reth. n	<ul> <li>Cam Lodes Model (20)</li> <li>Cam Urban Model (20)</li> <li>Cam Rural Model (201)</li> <li>Coldhams Brook Model</li> <li>Gough Way Model (20)</li> <li>Lower Ouse Model (20)</li> <li>Vicars Brook Model (20)</li> </ul>	12) 12) 4) 12 (2013) 17) 15) 209)		
Gre	The main type of model 2D model. However, th model.	utilised by these is a ne Vicars Brook mod	n ISIS-TuFi lel is a 2D	LOW 1D- ) JFLOW
Farm of the second seco				
2	Chaot New L	1:23,970 @ A3	Date: 26/0	)7/2021
		Drawn: MD	Checked:	PJ
database rights.	30137	Figure: 48444/4005/0	GIS025	Rev A



Document Path: J:\48444 Greater Cambridge Water Cycle Study\GIS\Workspaces\48444 GIS025 Modelled Flood Extents.mxd

5	Alconbury Weald Study Potto Bigglesware Bi	City Boundary bridgeshire Bou Extents	Saffron Walden	Navman Hav
a Farmit	100yr 1000yr			
ys ân dei las Inn Inn Inn Inn Inn Inn Inn Inn Inn In	Notes The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ Models included in these - Cam Lodes Model (20 - Cam Rural Model (20 - Cam Rural Model (20 - Coldhams Brook Model - Gough Way Model (20 - Lower Ouse Model (20 - Lower Ouse Model (20	Extents map combin felled extents for the %) flood events. The ment Agency (EA). e are as follows: 12) 12) 4) 4) 4) (2013) 17) 15) 000	nes multip 1 in 100 y model out	le model /ear (1%) puts were
- A - A - A - A - A - A - A - A - A - A	- vicars brook Model (20 The main type of model 2D model. However, th model.	utilised by these is a e Vicars Brook mod	n ISIS-TuF lel is a 2C	LOW 1D- ) JFLOW
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021
database rights.	4 of 37	Figure: 48444/4005/0	GIS025	Rev A



	Alconbury Weald Study Potto Bigglesware Bi	City Boundary bridgeshire Bou Extents	Saffron Walden	nam Nevmar
	Notes The Modelled Flood outputs to indicate moo and 1 in 1000 year (0.1 provided by the Environ Models included in these - Cam Lodes Model (200 - Cam Urban Model (200 - Cam Rural Model (201 - Coldhams Brook Model - Gough Way Model (200 - Lower Ouse Model (200 - Vicars Brook Model (200 - Vicars Brook Model (200 The main type of model 2D model. However, th model.	Extents map combin felled extents for the %) flood events. The ment Agency (EA). e are as follows: 12) 12) 12) 12) 14) 14) 17) 15) 209) utilised by these is a ne Vicars Brook mod	nes multip 1 in 100 y model outy n ISIS-TuF lel is a 2D	le model /ear (1%) outs were
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021
tabase rights	5 of 37	Drawn: MD	Checked:	PJ
เฉมสอย เญาแร.		Figure: 48444/4005/0	GIS025	Rev A



3	NX	X	Ely	1
	Alconbury Weald	AD		1 Mag
	Stive	Prover and and	( sol	nam
	- F	• Northstowe		LA
Y Star			-1	Nevmar
At 5 15	o St Neo		and a	
A series	and a	Mile	7000	and a
1/	Sandy Pottor	XXX	T.	p.st.
1	Bigglesware		Nº No	Hav
aller Month aller	14/	an fire	Saffron	S.
	stotfold	V	Walden	
C'A	Baldock	M11	2	Thaxted
Mill Hill R	Hitchin	Buntingford	1	
	Legend			
ONC	Study Area			
1.1.1	Cambridge	City Boundary		
	South Cam	bridgeshire Bou	undary	
New Farm For Calitages - 1905	Modelled Flood	Extents		
	100yr			
	1000yr			
	Notos			
<b>1</b>	The Modelled Flood	Extents map combir	nes multip	le model
	outputs to indicate mod and 1 in 1000 year (0.1	delled extents for the %) flood events. The	1 in 100 y model outp	/ear (1%) outs were
	provided by the Environ	ment Agency (EA).		
	Models included in these	e are as follows:		
CAL CALLER	- Cam Urban Model (20 - Cam Urban Model (20 - Cam Rural Model (201	12) 4)		
ABCH 22	- Coldhams Brook Mode - Gough Way Model (20	.) el (2013) 17)		
	- Lower Ouse Model (20 - Vicars Brook Model (20	015) 009)		
	The main type of model	utilised by these is a	n ISIS-TuF	LOW 1D-
Liby	2D model. However, tr model.	ne vicars Brook moo	iei is a 20	) JFLOW
Sch				
Sta 2				
Pap				
2	Sheet Number	1:23,970 @ A3	Date: 26/0	)7/2021
	6 of 37	Drawn: MD	Checked:	PJ
database rights.	00137	Figure: 48444/4005/0	GIS025	Rev A



Dairy Farm	Alconbury Weald	~~~	Ely	nam
Caravan Park Perk	StNec	• Northstowe	Z	Nevman
$\square$	Sandye Potton Bigglesware	M		2
Tipplers' Road	hefford <u>e Stotfold</u> Baldock		Saffron Walden	Thaxted
SA	B Hitchin (2)	Buntingford		-
1 1	Legena			
$\lambda \wedge$	Study Area			
$\langle \rangle$	Cambridge	City Boundary		
X	South Cam	bridgeshire Bou	undary	
Works/ Second	Modelled Flood	Extents		
13	100vr			
	1000			
$\sim$	1000yr			
150				
A A	Natao			
Roger's Wood	The Modelled Flood	Extents man combin	nes multin	e model
Lolworth	outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	felled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	vear (1%) outs were
TART	Models included in these	e are as follows:		
Hall Farm	- Cam Lodes Model (20) - Cam Urban Model (20) - Cam Rural Model (201 - Coldhams Brook Mode - Gough Way Model (20) - Lower Ouse Model (20) - Vicars Brook Model (20)	12) 12) 4) 1 (2013) 17) 15) 209)		
47	The main type of model 2D model. However, th model.	utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW
2 km	Choot Number	1:23,970 @ A3	Date: 26/0	7/2021
		Drawn: MD	Checked:	PJ
database rights.	/ OT 3/	Figure: 48444/4005/0	GIS025	Rev A



	Alconbury	A	Ely	Jac
	Weald	Anna A	0501	nam
Gem y	n	North towe		SA
	StNec		A	Nevmar
3		MIL	X	and a
lands	Sandy Pottor	XXA	J.	C
	Bigglesware	- AT	my -	2 Hav
The second	hefford	V	Saffron Walden	
	Baldock	Buntingford	Y	Thaxted
	Legend			
1.	Study Area			
okers Vild LEater	Cambridge	City Boundary	un do ru	
	Modelled Flood	Extents	indary	
Can Can	100yr			
FT	1000yr			
Mill				
F				
	NOTES	Extents map combin	nes multip	le model
Buxhall Farm	and 1 in 1000 year (0.1 provided by the Environ	%) flood events. The ment Agency (EA).	model out	outs were
	Models included in these	e are as follows:		
	- Cam Urban Model (20 - Cam Urban Model (20 - Cam Rural Model (201	12) 12) 4)		
TH	- Coldnams Brook Mode - Gough Way Model (20 - Lower Ouse Model (20	9 (2013) 17) 15)		
	The main type of model	l utilised by these is a	n ISIS-TuF	LOW 1D-
	model.	IE VICAIS BIOOK MOD		JFLOW
Impington				
Hospl 4				
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021
database rights.	8 of 37	Drawn: MD	Checked:	PJ
-		⊢igure: 48444/4005/0	5025	Rev A



	NX	A	Ely	1 has
Com Com	Weald	A	had	
	1 ostur		- Sol	
	CV	o North towe	5	M
wallhain back	St Neo	200	1	Newman
	43	MIL	X	
	Las	AC	1	<u>s</u>
100	Pidal control	CX1		Hav
	Digglesware	an fire	- I	2
	Stotfold	V	Saffron Walden	
0.00	Baldock	Mil	V	Thaxted
	Hitchin	Buntingford	1	1
1	Legend			
Oly	Study Area			
far		City Boundary		
200	South Cam	bridgeshire Bou	indary	
1973		Extents		
Bottistiam	100yr			
	100091			
DIDE CP.				
S. A.				
- And	Notes			
1 de	The Modelled Flood outputs to indicate mod	Extents map combin delled extents for the	nes multipl 1 in 100 y	le model /ear (1%)
in the Bu	provided by the Environ	ment Agency (EA).	model out	buis were
Ing Fail	Models included in these	e are as follows:		
A Larm	- Cam Lodes Model (20 - Cam Urban Model (20 - Cam Rural Model (201	12) 12) 4)		
	- Coldhams Brook Mode - Gough Way Model (20	.) el (2013) 17)		
10	- Lower Ouse Model (20 - Vicars Brook Model (20	115) 009)		
	The main type of model 2D model. However the	l utilised by these is a ne Vicars Brook mod	n ISIS-TuFi lel is a 20	LOW 1D-
s de	model.			0. 20.11
L'alle				
Te				
2		4.00.070 @ 10	Det ant	7/0004
∠ km	Sheet Number:	1:23,970 @ A3	Date: 26/0	D7/2021
database rights.	9 of 37			PJ
		rigure: 48444/4005/0	515025	KeV A



Contraction of the second		1 12 1		1	
	Alconbury Weald	AN	Ely	) Jac	
	- OSUVE	(	( Sol	nam	
	CV	• Northstowe	5	XA	
	st leo	7.41		Newman	
Fari	لتحس	MIL	7.	-	
mark	Sandy Pottor	XV	J.	Cr.	
	Bigglesware	- A	ment -	Hav	
	hefford	V	Saffron Walden		
Solar Panels	Baldock	Mil	1	Thaxted	
Pembroke Farm	Legend	Bunungtora			
64 64	Study Area				
	Cambridge	City Boundary			
	South Cambridgeshire Boundary				
	Modelled Flood	Extents			
	100yr				
1	1000yr				
CP >					
>/					
	<b>NOTES</b> The Modelled Flood	Extents map combir	nes multip	le model	
Caxton Drift (T	outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	delled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	vear (1%) outs were	
( Track)	Models included in these	e are as follows:			
Срвду	<ul> <li>Cam Lodes Model (2012)</li> <li>Cam Urban Model (2012)</li> <li>Cam Rural Model (2014)</li> <li>Coldhams Brook Model (2013)</li> <li>Gough Way Model (2017)</li> <li>Lower Ouse Model (2015)</li> <li>Vicars Brook Model (2009)</li> </ul>				
1 150	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW	
Hardwicke					
2	Sheet Number	1:23,970 @ A3	Date: 26/0	)7/2021	
	10 of 37	Drawn: MD	Checked:	PJ	
database rights.		Figure: 48444/4005/0	GIS025	Rev A	





Millifeld	Alconbury Weald		Ely	nam
Hotel	S	<ul> <li>Northstowe</li> </ul>	7	Nevman
Hotel Sch	Street	M1	X	7
Allot Gdns	Bigglesware	mp of	Saffron	5 Hav
	e Stotfold Baldock	Burtingford M11	Walden	Thaxted
Arbury	Legend Study Area			
	Cambridge	City Boundary		
	South Cam	bridgeshire Bou	undary	
	Modelled Flood	Extents		
Scheller Alle	100yr			
	1000yr			
CCEMY AND CONTRACT				
Thothe	Notes			
	The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	Extents map combin delled extents for the %) flood events. The ment Agency (EA).	nes multipl 1 in 100 y model outp	e model rear (1%) outs were
	Models included in these	e are as follows:		
	<ul> <li>Cam Lodes Model (20)</li> <li>Cam Urban Model (20)</li> <li>Cam Rural Model (201</li> <li>Coldhams Brook Mode</li> <li>Gough Way Model (20)</li> <li>Lower Ouse Model (20)</li> </ul>	12) 12) 4) 6! (2013) 17) 115)		
	- Vicars Brook Model (20	009)		
	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuFi lel is a 2D	JFLOW
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	7/2021
	12 of 37	Drawn: MD	Checked:	PJ
latabase rights.		Figure: 48444/4005/0	GIS025	Rev A



Andleris Alter	Alconbury	And	Ely	Jac	
And reinstructure Drinny (Augusticitur)	Weald		( sol	nam	
	The second	Northstowe	4	T A	
	1 CM	1	7	Nevman	
	St Neo	-4M	and a		
	and a	MI	7	-	
1	Sandy Pottor	XX	J.	Cr	
XA	Bigglesware	1 M	my -	A Hav	
6	hefford		Saffron Walden	9	
	Baldock	Mil	2	M	
STOW C	Hitchin	Buntingford	1	Thaxted	
	Legend				
Albert Ro. Bu	Study Area				
Dunsley Corner 18	Cambridge	City Boundary			
	South Cambridgeshire Boundary				
	100vr	LAGINS			
	1000yr				
Lef 3 1					
Short					
Prove Prove	Notos				
	The Modelled Flood	Extents map combir	nes multip	le model	
B Drove Way B	and 1 in 1000 year (0.1 provided by the Environ	felled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	vear (1%) outs were	
ittle Wilbraham F	Models included in these	e are as follows:			
Licele Wilbrahan	- Cam Lodes Model (20 - Cam Urban Model (20	12) 12)			
THE REAL PROPERTY AND INCOMENTAL OPENING	- Cam Rural Model (201 - Coldhams Brook Mode - Cough Way Model (20	4) el (2013) 17)			
urn Fen	- Lower Ouse Model (20 - Vicars Brook Model (20	115) 009)			
Col	The main type of model	l utilised by these is a	n ISIS-TuF Iel is a 20	LOW 1D-	
12 2	model.			, 31 2011	
tes a					
2		1:23,970 @ A3	Date: 26/0	07/2021	
km	Sheet Number:	Drawn: MD	Checked:	PJ	
database rights.	13 of 37	Figure: 48444/4005/0	GIS025	Rev A	
		<u>.</u>			



50 The phartaction	Alconbury Weald St Neopole St Neopole St Neopole Bigglesware Biggl	City Boundary bridgeshire Bou Extents	Saffron Walden	ham Newmar Hav	
	Notes				
Show 59	The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	Extents map combin delled extents for the %) flood events. The ment Agency (EA).	nes multip 1 in 100 y model outp	le model /ear (1%) outs were	
- Alower	Models included in these	e are as follows:			
58	Cam Lodes Model (2012)     Cam Urban Model (2012)     Cam Rural Model (2014)     Coldhams Brook Model (2013)     Gough Way Model (2017)     Lower Ouse Model (2015)     Vicars Brook Model (2009)  The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW				
	model.				
17					
2 km	Sheet Number	1:23,970 @ A3	Date: 26/0	)7/2021	
	14 of 37	Drawn: MD	Checked:	PJ	
latabase rights.	14 01 07	Figure: 48444/4005/0	GIS025	Rev A	



	Harry K	A	Ely	1 Jaco	
here -	Weald		la sol	ham	
	The stive		NA.	TA	
Carton Road	1 CM	o Northstowe	17	Newmar	
	St Neo			1	
Same Basis	25	M1	Kan	New Party	
$\backslash \frown \land$	Sandy <sup>®</sup> Potto	XXX	E.	pre .	
	Bigglesware	6 Xm	www.	Hav	
$\sim$	hefford	man free	Saffron	5	
No. 10	Stotfold Baldock	V	Walden		
Sare.	Hitchin	Buntingford M11	j.	Thaxted	
	Legend				
No. of Concession, Name of Street, or other	Study Area				
	Cambridge City Boundary				
	South Cambridgeshire Boundary				
	Modelled Flood	Extents			
625	100yr				
	1000yr				
NI CP					
152	Notes				
B 1046	The Modelled Flood outputs to indicate mod	Extents map combin delled extents for the	nes multip 1 in 100 y	le model /ear (1%)	
Gransden/4	and 1 in 1000 year (0.1 provided by the Environ	%) flood events. The ment Agency (EA).	model out	outs were	
	Models included in these	e are as follows:			
L	- Cam Lodes Model (20 - Cam Urban Model (20 - Cam Rural Model (201	12) 12) 4)			
manager Flag	- Coldhams Brook Mode - Gough Way Model (20	el (2013) 17)			
5 1 00	- Lower Ouse Model (20 - Vicars Brook Model (20	)15) 009)			
and the second	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.				
C.P.					
M		[			
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021	
database rights	15 of 37	Drawn: MD	Checked:	PJ	
aaababo nyinto.		Figure: 48444/4005/0	GIS025	Rev A	



Document Path: J:\48444 Greater Cambridge Water Cycle Study\GIS\Workspaces\48444 GIS025 Modelled Flood Extents.mxd

Aspl	Alconbury	X	Ely	1 Jan		
Far	Weald		(a sol	nam		
46	N P	Northstowe	4	N/		
dwick R			7	Newmark		
TOFT	St Neo		and a			
J	for the second	Mil.		5		
SOrchard Binge	Sandy Pottor	XXA	ANN	{		
CH Cambridge Meridi	Bigglesware	man prod		N.		
Golf Club	e Stotfold	V	Walden	$\leq$		
that	Baldock	M11	4	Thaxted		
	Legend	Balangiola				
۳	Study Area					
S.C	Cambridge City Boundary					
23	South Cambridgeshire Boundary					
-	Modelled Flood Extents					
france of	100yr					
and and a so	1000yr					
SF						
House	Natas					
arm 28	<b>NOTES</b> The Modelled Flood	Extents map combir	nes multip	le model		
Five	outputs to indicate moo and 1 in 1000 year (0.1 provided by the Environ	delled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model out	vear (1%) outs were		
31 Church	Models included in these	e are as follows:				
Botolph's Rectory Farm	- Cam Lodes Model (20 - Cam Urban Model (20 Cam Burel Model (201	12) 12)				
	- Coldhams Brook Mode - Gough Way Model (201	4) 91 (2013) 17)				
ng	- Lower Ouse Model (20 - Vicars Brook Model (20	115) 009)				
	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.					
L						
2		1.23 070 @ ^2	Data: 26 /	7/2021		
km	Sheet Number:	Drawn: MD	Checked:	PJ		
database rights.	16 of 37	Figure: 48444/4005/0	GIS025	Rev A		
		L				



Newphere Science Cross	Alconbury	A	Ely	Jac
Ryer	A	• Northstowe	(sol	ham
and the second	stNeo			Newmar
Cambridge L Golf Cour	Sandy <sup>2</sup> Pottor	MT		
	hefford	-V-Y	Saffron Walden	2
	Baldock	Buntingford	A	Thaxted
	Legend Study Area			
	Cambridge South Cam	City Boundary bridgeshire Bou	undary	
pington	Modelled Flood	Extents	,	
Cemy Co	100yr			
	1000yr			
Also and	Notes The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environm	Extents map combin delled extents for the %) flood events. The ment Agency (EA).	nes multipl 1 in 100 y model outp	le model vear (1%) outs were
	Models included in these	e are as follows:		
	- Cam Lodes Model (20 - Cam Urban Model (20 - Cam Rural Model (201 - Coldhams Brook Mode - Gough Way Model (20 - Lower Ouse Model (20 - Vicars Brook Model (20	12) 12) 4) 1 (2013) 17) 115) 009)		
- Contraction	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuFi lel is a 2D	LOW 1D- ) JFLOW
Farm Allot		r		
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021
tatabase risht-	17 of 37	Drawn: MD	Checked:	PJ
uarabase rights.		Figure: 48444/4005/0	GIS025	Rev A



Queens	Alconbury Weald	AD	Ely	( Jas	
Brid 12 Brid	P	o Northstowe	(Jao	ham	
13	StNeo	1.1.1	A	Nevmar	
Hall Orchar Wage	Ë	Mi	X	7	
File	Sandy: Pottor Bigglesware		~	SoHav	
	hefford	Mr.	Saffron Walden	5	
A A	Baldock	Buntingford M11	)	Thaxted	
	Legend				
	Study Area				
16	Cambridge	City Boundary			
1	South Cambridgeshire Boundary				
	Modelled Flood Extents				
	100yr				
1	1000yr				
$\setminus$ /					
er Valley					
	Notes				
	The Modelled Flood	Extents map combir	nes multip	le model	
T	outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	delled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	/ear (1%) outs were	
Ho	Models included in these	e are as follows:			
	- Cam Lodes Model (2012) - Cam Urban Model (2012) - Cam Rural Model (2014) - Coldhams Brook Model (2013) - Gough Way Model (2017)				
Hit	- Vicars Brook Model (20	009)			
2	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW	
2 km	Shoot Number	1:23,970 @ A3	Date: 26/0	)7/2021	
		Drawn: MD	Checked:	PJ	
database rights.	10 01 37	Figure: 48444/4005/0	GIS025	Rev A	



		1 1 1	V	
hard	NX	X	Ely	
Hill Stores	Alconbury	h	9	/ Mag
1.1.1	Weald	m A	1	1 2
	- Stive	Construction and	630	nam
Viena-	MAL	Northstowe		X
-	5	S	5	200
ic A			- 1	Nevmar
Termit Fun	st Neo	4119		
Hungry Hill Be			-	2
WEST.	a second	MI	/	the general second
U A TELEI T		VALV	T.	5
Man Ser	Sandyo Potto	d'AT	1	5
forg a Bell	Bigglesware		and the second	Hav
and		ing Since	N.	5
Marine Pharman	hefford	V	Saffron	
	Stotfold		Consert L	X
2 1 Achele 1	Baldock	M11	V	A
() / Farm	Hitchin	Buntingford	1	Inaxted
37	Logond			
Campan Grange	Legena			
	Study Area			
- and	1 1 			
riton Grange		City Boundary		
82 8	South Cam	bridgeshire Bou	undary	
	Second Manda Hand Eland	<b>F</b> eed are the	,	
Knield W	Modelled Flood	Extents		
ng l	100yr			
68	1000			
and the second s	1000yr			
54				
A Martines	Notes			
WEST	The Modelled Flood	Extents map combir	nes multipl	e model
	outputs to indicate mod and 1 in 1000 year (0.1	delled extents for the	1 in 100 y	vear (1%)
Pit (dis)	provided by the Environ	ment Agency (EA).	moder out	
80 86	Models included in these	e are as follows:		
	Com Lodoo Madal (00	12)		
8	- Cam Lodes Model (20 - Cam Urban Model (20	12)		
	- Cam Rural Model (201	4)		
<u> </u>	- Gough Way Model (20	17)		
They a	- Lower Ouse Model (20	)15) nng)		
Severals ·	- VICAIS DIOUK WOUEL (20	003)		
92	The main type of model	l utilised by these is a	n ISIS-TuFl Ial is a 20	LOW 1D-
	model.	IN VICAIS DIOUK IIIOU	ici is a ZD	
aving West Wrat				
Field 8 Wart				
TUO Trest				
		Г		
2		1:23,970 @ A3	Date: 26/0	7/2021
km	Sheet Number:		Chookod	ы
databaac -i-b-	19 of 37		Checked:	FJ
uatabase rights.	-	Figure: 48444/4005/0	GIS025	Rev A
		L		



Presbytery	NX	S X	Ely			
Tolvard	Alconbury Weald	AI	1	1 Mag		
Plantation	A seture	Providence of	( sol	ham		
1 64 2	A P	1 2/7	A	N V		
cy wood	IN	o Northstowe	17	No.		
Continued of the second	St Neo	1.1.1	1	Nevman		
Cons I	6/-1	1				
State V	and the second	Mit	/	and the		
105	Sandy Potto	XXX	. 1	8		
I'm	Bindleswalle			Hav		
		ing fines		A.		
Farm	hefford	V	Saffron Walden			
The	Baldock	T	1	X		
Avilla Avilla	Hitchin	Burtingford M11	j.	Thaxted		
F	Logond					
	Legend					
e de la compañía	Study Area					
	Cambridge City Boundary					
	South Cambridgeshire Boundary					
	Modelled Flood Extents					
	100yr					
Freedom Ran	1000vr					
	100091					
$\sim >$						
21/2						
107	Notes					
1 BAS	The Modelled Flood	Extents map combir	nes multip	le model		
-445	outputs to indicate mod and 1 in 1000 year (0.1	delled extents for the %) flood events. The	1 in 100 y model out	/ear (1%) outs were		
A Fain Grie	provided by the Environ	ment Agency (EA).				
417	Models included in these	e are as follows:				
1	- Cam Lodes Model (20 - Cam Urban Model (20	12) 12)				
in the	- Cam Rural Model (201 - Coldhams Brook Mode	4) el (2013)				
1 7/	- Gough Way Model (20 - Lower Ouse Model (20	17) 15)				
VA	- Vicars Brook Model (20	009)				
X	The main type of model 2D model. However, the test of test	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- JFLOW		
N.	model.					
Biader						
Hall						
Beadiey						
2		1:23,970 @ A3	Date: 26/0	)7/2021		
km	Sheet Number:	Drawn: MD	Checked:	PJ		
database rights.	20 of 37	Figure: 48444/4005/0	GIS025	Rev A		



				1	
$\wedge$	Alconbury Weald	AN	Ely	) he	
ATLEY C	- A synd	( marine )	( sol	nam	
Wood	1 cm	© Northstowe	2	Nevmar	
ey orge	St Neo		- And		
Par	San y/2 Potto	AL	5	E.	
77 V. B	Biggleswate	and the second		A Hav	
te - FB- Manor	E Stotfold Baldock	V	Walden	A	
The Palace	Hitchin	Burtingford	Ĵ	Thaxted	
	Legend				
XA	Study Area				
X	Cambridge	City Boundary			
1	South Cam	bridgeshire Bou	undary		
	Modelled Flood Extents				
	100yr				
	1000yr				
- A					
and the second	Notes				
	The Modelled Flood	Extents map combir	nes multip	le model	
P	outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	delled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	/ear (1%) outs were	
Xi	Models included in these	e are as follows:			
	- Cam Lodes Model (2012) - Cam Urban Model (2012) - Cam Rural Model (2014) - Coldhams Brook Model (2013) - Gough Way Model (2017)				
MP	- Lower Ouse Model (20 - Vicars Brook Model (20	009)			
and a second	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D- ) JFLOW	
Tadlow					
2	Chaot Number	1:23,970 @ A3	Date: 26/0	)7/2021	
	Sneet Number:	Drawn: MD	Checked:	PJ	
database rights.	21 of 37	Figure: 48444/4005/0	GIS025	Rev A	



			N			
- Art	NX.	SX	Ely	1		
1	• Alconbury Weald	41	1	1 100		
Y .	- St lve		( Sol	nam		
May P	m	Northstowe		X		
Orwell		× 12	1	Nevmar		
HII	St Neo		A C	1		
JAS X	5	MT	×.			
PIL	Law J	At	1	7		
(dis) 65	Sandyo Pottor	8 M		5		
Hill	Bigglesware			A Hav		
BALL DA	hefford	uyaon	Saffron			
	Baldock	V P	Walden	X		
	Pandoak	Mil	Y	Thaxted		
Orwell	o Hitching (o	Buntingford	1			
Meadowcroft	Legend					
Common and	Study Area	Study Area				
Retreat	Cambridge	City Boundary				
11	South Cam	South Cambridgeshire Boundary				
14	Modelled Flood	Extents				
and the second s	100yr					
	1000vr					
000 000						
1						
N	Notes					
	The Modelled Flood	Extents map combin	nes multipl	e model		
	and 1 in 1000 year (0.1	%) flood events. The	1 in 100 y model outp	outs were		
A Maltan Rook	provided by the Environ	ment Agency (EA).				
Grove a	- Cam Lodes Model (20)	e are as ioilows:				
s Bridge	- Cam Lodes Model (20 - Cam Urban Model (20 Cam Bural Model (201	12) 12)				
Cam on a	- Coldhams Brook Model (201	4) el (2013) 17)				
	- Lower Ouse Model (20 - Vicars Brook Model (20	)15) (109)				
-	The main type of model	utilised by these is a	n ISIS-TuF	LOW 1D-		
	2D model. However, th model.	ne Vicars Brook mod	lel is a 2D	JFLOW		
da 1						
- And -						
		[				
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021		
	22 of 37	Drawn: MD	Checked:	PJ		
database rights.		Figure: 48444/4005/0	GIS025	Rev A		



Sidns/	NX	1 Xm	Ely	1		
	Weald		-	ham		
	St Ve	( the second	- A	N		
la la	1 CM	o Northstowe	1	Newmar		
	o St Neo	272	and the	(		
2200	فمس	MIL	100	end.		
3	Sandyo Potto	XX	5	C.		
	Bigglesware		and the second	Hav		
et's	hefford	ma me	Saffron Walden	4		
- AC	Baldock	MII	2	X		
10 Land	Hitchin	Buntingford	1	Thaxted		
Clur	Legend					
Cockle Hill	Study Area					
10, 30 di 25	Cambridge City Boundary					
telesford	South Cam	bridgeshire Bou	Indary			
Ord		Extents				
T	1000yr					
Kid						
Plan						
lier and	Notes					
····	The Modelled Flood	Extents map combir	nes multip	le model		
	and 1 in 1000 year (0.1 provided by the Environ	%) flood events. The ment Agency (EA).	model outp	outs were		
	Models included in these	e are as follows:				
10	- Cam Lodes Model (20 <sup>.</sup> - Cam Urban Model (20 <sup>.</sup>	12) 12)				
	<ul> <li>Cam Rural Model (201</li> <li>Coldhams Brook Mode</li> <li>Gough Way Model (20)</li> </ul>	4) I (2013) 17)				
	- Lower Ouse Model (20 - Vicars Brook Model (20	115) 009)				
	The main type of model 2D model. However, the	utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D	LOW 1D-		
0	model.					
5						
Tumulue						
2		1:23,970 @ A3	Date: 26/0	07/2021		
km	Sheet Number:	Drawn: MD	Checked:	PJ		
database rights.	23 of 37	Figure: 48444/4005/0	GIS025	Rev A		



Mount Farm Norsted Lodge	Alconbury Weald St Nec St Nec Sandyë Potto Bigglesware heftord Bigglesware Bigdlesware Bigdlesware	NorthStowe M1	Ely sol	ham Navmar Hav
Ways Three Corner Plantation Occel Base Little Abington Sluke Wood	Legend Study Area Cambridge South Cam Modelled Flood 100yr	City Boundary bridgeshire Bou <b>Extents</b>	undary	
Newhouse Farmer	Notes The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ Models included in these - Cam Lodes Model (201 - Cam Wrban Model (201 - Cam Rural Model (201 - Coldhams Brook Mode	Extents map combin delled extents for the %) flood events. The ment Agency (EA). e are as follows: 12) 12) 4) el (2013)	nes multip 1 in 100 y model outp	le model /ear (1%) puts were
South Grove	- Gough Way Model (20 - Lower Ouse Model (20 - Vicars Brook Model (20 The main type of model 2D model. However, th model.	17) 17) 15) 009) I utilised by these is a ne Vicars Brook mod	n ISIS-TuF lel is a 2D Date: 26/0	LOW 1D- ) JFLOW
	Sheet Number: 24 of 37	Drawn: MD	Checked:	PJ
ualabase ngnts.		Figure: 48444/4005/0	GIS025	Rev A



		/ \/					
Vratting	Alconbury	And	Ely	Jac			
Lordship Farm	Weald		0501	nam			
Mout Farm	M P	Northstowe	4	11			
	1 CV		7	Nevmar			
E NO	o St Neo		and the				
N - 00.0	in the second	M12	1	-			
51 Mill House	Sandy Potto	YNY	T	1			
116 A	Bigglesware		Nº W	Hav			
K	hefford	and the	Saffron	5			
	C Stotfold	V	Walden	2			
A	Hitchip	Buntingford M11	J.	Thaxted			
Mr.	Legend						
50	Study Area						
	Cambridge	Cambridge City Boundary					
· · · · ·	South Cambridgeshire Boundary						
Bottle Hall	Modelled Flood Extents						
L	100yr						
$\mathbf{X}$	1000yr						
49							
IT							
A s	Notes						
Ppg	The Modelled Flood	Extents map combin	nes multip	e model			
Sta Sta	and 1 in 1000 year (0.1 provided by the Environ	%) flood events. The ment Agency (EA).	model outp	outs were			
Streetly, Hall	Models included in these	e are as follows:					
48	- Cam Lodes Model (20 <sup>.</sup> - Cam Urban Model (20 <sup>.</sup>	12) 12)					
	- Cam Rural Model (201 - Coldhams Brook Mode	4) el (2013)					
	- Gough Way Model (20 - Lower Ouse Model (20 - Vicars Brook Model (20	17) (15) (009)					
Mill-House	The main type of model	l utilised by these is a	n ISIS-TuF	LOW 1D-			
	2D model. However, th model.	ne Vicars Brook mod	lel is a 2D	JFLOW			
St							
47 400							
Crofts Wood		[					
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021			
database rights	25 of 37	Drawn: MD	Checked:	PJ			
นฉเลมสวช เญเปร.		Figure: 48444/4005/0	GIS025	Rev A			



Liede Thurlow Green NI CT	Alconbury Weald	e North Lowe		-Newmart
Hall Hall Farm Hittop	Baldock	M11 Burtingford	Saffron Walden	Thaxted
Williaw Hall Plantation Fourt Plantation Plantation Plantation Reouse	Study Area Cambridge South Cam Modelled Flood 100yr 1000yr	City Boundary bridgeshire Bou <b>Extents</b>	undary	
Hill Farm Wra	Notes The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ Models included in these - Cam Lodes Model (20 - Cam Urban Model (201 - Coldhams Brook Mode - Gough Way Model (20 - Lower Ouse Model (20 - Vicars Brook Model (21 The main type of model 2D model. However, th model.	Extents map combin delled extents for the %) flood events. The ment Agency (EA). e are as follows: 12) 12) 4) el (2013) 17) 105) 009) I utilised by these is a he Vicars Brook mod	nes multip 1 in 100 y model outp n ISIS-TuF lel is a 2D	le model /ear (1%) buts were LOW 1D- 0 JFLOW
G CP G		1-23 970 @ A3	Date: 26/0	17/2021
km	Sheet Number:	Drawn: MD	Checked:	PJ
database rights.	26 of 37	Figure: 48444/4005/0	GIS025	Rev A



Endge Farm	NX	S X	Ely		
200 Martin	Alconbury Weald		S	1 100	
	- St be		( Sol	nam	
	al	• Northstowe	-	LA	
	1 ty		-/	Nevmar	
1	StNeo				
-	and a	Mile	7.	News .	
	Sandy Potto	VIV	F	,s	
29 Lane	Eggleswalle		A Real	Hav	
(TH)		toran Proc			
	hefford Stotfold	V	Walden		
	Baldock	M11	N	A	
le	Hitchin	Buntingford	Å	Inaxted	
	Legend				
31	Study Area				
APP (	Cambridge	City Boundary			
	South Cam	bridgeshire Bou	undary		
	Modelled Flood Extents				
Morten	100yr				
ween	1000yr				
Wood					
80 44					
1 Ab					
	Notes				
Frank Frank	The Modelled Flood outputs to indicate mod	Extents map combin delled extents for the	nes multip 1 in 100 y	le model /ear (1%)	
	and 1 in 1000 year (0.1 provided by the Environ	%) flood events. The ment Agency (EA).	model out	outs were	
	Models included in these	e are as follows:			
H C E E	- Cam Lodes Model (20 - Cam Urban Model (20	12) 12)			
War + E PO	- Cam Rural Model (201 - Coldhams Brook Mode	4) el (2013)			
Tiemi Carlos	- Gough Way Model (20 - Lower Ouse Model (20	17) 15)			
51 400	- Vicars Brook Model (20	009)			
X	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW				
ST	model.				
A LEADER					
ndmere					
park 2			<b>.</b>		
∠ km	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021	
latabase rights	27 of 37	Drawn: MD	Checked:	PJ	
iatabase rights.		Figure: 48444/4005/0	GIS025	Rev A	



And CR HILL BUT THE REAL OF TH	Alconbury Weald St Neo St NeoS	City Boundary bridgeshire Bou Extents	Saffron Walden	ham Newmar Hav	
	1000yr 1000yr Notes The Modelled Flood	Extents map combin	nes multip	le model	
New Farm	<ul> <li>And the induction interpretents for the 1 in 100 year (1%) and 1 in 1000 year (0.1%) flood events. The model outputs were provided by the Environment Agency (EA).</li> <li>Models included in these are as follows: <ul> <li>Cam Lodes Model (2012)</li> <li>Cam Urban Model (2012)</li> <li>Cam Rural Model (2014)</li> <li>Coldhams Brook Model (2013)</li> <li>Gough Way Model (2017)</li> <li>Lower Ouse Model (2015)</li> <li>Vicars Brook Model (2009)</li> </ul> </li> <li>The main type of model utilised by these is an ISIS-TuFLOW 1D-2D model. However, the Vicars Brook model is a 2D JFLOW model.</li> </ul>				
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021	
database rights.	28 of 37	Drawn: MD	Checked:	PJ	
-		Figure: 48444/4005/0	iS025	Rev A	



d min	NX	X	Ely	1		
Manor Sarm	Alconbury Weald		()	1 me		
	- Silver	[- marine	Caol	ham		
	1 AV	Northstowe	2	Newmar		
and and and	St Nec		1	(		
and the second s	part i	Mig	7	-		
36	Sandya Pottor	XX		<u>{</u>		
	Biggleswatte		N	A Hav		
34	hefford	V	Saffron Walden			
H.	Baldock	Mit	91	Thaxted		
	Legend	Dunungiora				
	Study Area					
XV	Cambridge	City Boundary				
VA	South Cambridgeshire Boundary					
RK	Modelled Flood	Extents				
For	100yr					
- 46	1000yr					
1/ 2						
1 000						
	<b>Notes</b> The Modelled Flood	Extents map combir	nes multip	e model		
	outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	delled extents for the %) flood events. The ment Agency (EA).	1 in 100 y model outp	vear (1%) outs were		
Cottages	Models included in these	e are as follows:				
<sup>a</sup> The Grange Farmhouse	<ul> <li>Cam Lodes Model (2012)</li> <li>Cam Urban Model (2012)</li> <li>Cam Rural Model (2014)</li> <li>Coldhams Brook Model (2013)</li> <li>Gough Way Model (2017)</li> <li>Lower Ouse Model (2015)</li> <li>Vicars Brook Model (2009)</li> </ul>					
	The main type of model 2D model. However, th model.	l utilised by these is a ne Vicars Brook mod	n ISIS-TuFi lel is a 2D	LOW 1D- JFLOW		
2	Sheet Number:	1:23,970 @ A3	Date: 26/0	07/2021		
databasa rishta	29 of 37	Drawn: MD	Checked:	PJ		
uatabase rights.		Figure: 48444/4005/0	GIS025	Rev A		



STADE TO I	Alconbury Weald St Neogend Bigglesware Big	City Boundary bridgeshire Bou Extents	Saffron Walden	ham Navmart Hav
HORES Flatanine	Notes The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ Models included in these - Cam Lodes Model (20 - Cam Urban Model (201 - Coldhams Brook Model (20 - Coldhams Brook Model (20 - Lower Ouse Model (20 - Vicars Brook Model (20 - Vicars Brook Model (20 - Dicars Brook Model (20 - The main type of model 2D model. However, the	Extents map combin felled extents for the %) flood events. The ment Agency (EA). e are as follows: 12) 12) 4) 12(2013) 17) 15) 009) I utilised by these is a ne Vicars Brook mod	nes multip 1 in 100 y model outp n ISIS-TuF lel is a 2D	le model /ear (1%) buts were LOW 1D- 0 JFLOW
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021 P.I
latabase rights.	30 of 37	Figure: 48444/4005/0	GIS025	Rev A



and the second	HX	X	Ely	1			
the formation of the second se	Alconbury Weald	ALI	P	1 me			
AL-	Stive	Concernant and	6501	ham			
I NOW W	Ho F	Northstowe	1	X			
Harcallin		1	17	Newmar			
46	St Neo		1	1			
	1 3		30	X			
Contraction of the second	Land	A		7			
1 The	Sandy® Pottor	XVI	1	0			
	Bigglesware		N'N	Hav			
AT	hefford	toyaon	Saffron	4			
	Stotfold	VH	Walden	5			
45	Baldock	M11	Y	Thaxted			
	Hitchin	Buntingford	1	1			
	Legend						
68	Study Area						
	Cambridge	Cambridge City Boundary					
	South Cam	bridgeshire Bou	Indary				
94	Modelled Flood Extents						
	100vr						
	10091						
SIX	1000yr						
AN							
XX							
ANU	Notoo						
nitensmere	NOTES	Extents man combin	oc multin	la modal			
Woolpack	outputs to indicate mod	delled extents for the	1 in 100 y	/ear (1%)			
s Mere	provided by the Environ	ment Agency (EA).	model out				
am	Models included in these	e are as follows:					
100 00 00 00	- Cam Lodes Model (20 - Cam Urban Model (20	12) 12)					
	- Cam Rural Model (201 - Coldhams Brook Mode	4) 4 (2013)					
	- Gough Way Model (20 - Lower Ouse Model (20	17) 15)					
	- Vicars Brook Model (2)	009)					
K N	The main type of model 2D model. However, th	l utilised by these is a ne Vicars Brook mod	n ISIS-TuF el is a 2D	LOW 1D- JFLOW			
42	model.						
Phillipping							
1 X I							
YA.							
2		1:23,970 @ A3	Date: 26/0	)7/2021			
km	Sheet Number:	Drawn: MD	Checked:	PJ			
database rights.	31 of 37	Figure: 48444/4005/0	GIS025	Rev A			



		/ /	VZ		
TA	Alconbury	AN	Ely	Jac	
	St lve	( many	2501	nam	
mon	1 SW	• Northstowe	5	A	
	StNeo	1		Newman	
and here	لحميم	Mile Pat	200	-	
	Sandya Pottor	XX	A	C.	
	Bigglesware	m. pro			
	e Stotfold	V	Saffron Walden	5	
	Hitchin	Burtingford	Y	Thaxted	
Eas: Town of the the Part Longs	Legend				
A MARKEN AND	Study Area				
	Cambridge City Boundary				
A	South Cambridgeshire Boundary				
	Modelled Flood Extents				
	100yr				
1 de	1000yr				
1 2					
1					
Hey Grow					
	Notes				
AT T	The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1	Extents map combin delled extents for the %) flood events. The	nes multip 1 in 100 y model outp	le model vear (1%) outs were	
111	Models included in these	are as follows:			
111	- Cam Lodes Model (201	12)			
1-1-1	- Cam Urban Model (20' - Cam Rural Model (201	12) 4)			
142	- Coldhams Brook Model (2013) - Gough Way Model (2017) - Lower Ouse Model (2015)				
- ~ 1	- Vicars Brook Model (20	JU9) Lutilised by these is a	n ISIS-TuF	OW 1D-	
d's Farm Seware	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.				
Works					
* Henry					
Biols					
2 km	Sheet Number	1:23,970 @ A3	Date: 26/0	07/2021	
	32 of 37	Drawn: MD	Checked:	PJ	
atabase rights.		Figure: 48444/4005/0	GIS025	Rev A	



55 Statio	Alconbury Weald	AD	Ely	No.	
Road	w	<ul> <li>Northstowe</li> </ul>		ham	
Flitton	StNeo	A A			
Pit	Sandy Pottor Bigglesware	-	~	Hav	
82 00 00	Baldock	Burtingford M11	Saffron Walden	Thaxted	
Bank dra	Legend				
	Study Area				
N8	South Cambridgeshire Boundary				
Redlands	Modelled Flood Extents				
1///	100yr				
X751/3	1000yr				
Highley					
A HILL	Notes	_			
	The Modelled Flood outputs to indicate mod and 1 in 1000 year (0.1 provided by the Environ	Extents map combination for the way of the second s	nes multip 1 in 100 y model outp	le model /ear (1%) outs were	
- Anna	Models included in these	e are as follows:			
Slip End Farm Sta Sta Sta	<ul> <li>Cam Lodes Model (2012)</li> <li>Cam Urban Model (2012)</li> <li>Cam Rural Model (2014)</li> <li>Coldhams Brook Model (2013)</li> <li>Gough Way Model (2017)</li> <li>Lower Ouse Model (2015)</li> <li>Vicars Brook Model (2009)</li> </ul>				
	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.				
$\langle \rangle$					
2 km	Sheet Number	1:23,970 @ A3	Date: 26/0	)7/2021	
	33 of 37	Drawn: MD	Checked:	PJ	
database rights.		Figure: 48444/4005/0	GIS025	Rev A	



	Alconbury	A	Ely	he		
	vveaid St lve	( mart	(sol	nam		
	CW	<ul> <li>Northstowe</li> </ul>	5	X		
	StNeo	203		Newman		
	and a	Mt	200	- I and		
	Sandy Potto	XX	A	C.		
	Bigglesware	m pro	N.	A Hav		
C VE	hefford	V	Saffron Walden	5		
J Summer	Hitchin	Buntingford	A	Thaxted		
t Hall	Legend					
en Rides	Study Area					
Git angle Form (SEVE)	Cambridge	City Boundary				
1	South Cambridgeshire Boundary					
	100vr	LAGINS				
Grang	1000yr					
A REAL						
La	Notes					
2	The Modelled Flood outputs to indicate moo and 1 in 1000 year (0.1 provided by the Environ	Extents map combin felled extents for the %) flood events. The ment Agency (EA).	nes multipl 1 in 100 y model outp	le model vear (1%) outs were		
	Models included in these	e are as follows:				
	Cam Lodes Model (2012)     Cam Urban Model (2012)     Cam Rural Model (2014)     Coldhams Brook Model (2013)     Gough Way Model (2017)     Lower Ouse Model (2015)     Vicars Brook Model (2009)					
CR	The main type of model 2D model. However, th model.	utilised by these is a ne Vicars Brook mod	n ISIS-TuFl Iel is a 2D	LOW 1D- JFLOW		
ner 1 152 mer de						
2 km	Sheet Number	1:23,970 @ A3	Date: 26/0	07/2021		
	34 of 37	Drawn: MD	Checked:	PJ		
database rights. Figure: 48444/4005/GIS025						



	Alconbury Weald		Ely	ham	
	St Nee	e Northstowe		Navmar	
Think Thouse Farm Crawley End Wire	Sandy- Pottor Bigglesware hefford Stotfold Baldock		Saffron Walden	Thaxted	
Sula" Sula"	Legend Study Area Cambridge South Cam Modelled Flood 100yr 1000yr	City Boundary bridgeshire Bou <b>Extents</b>	undary		
Contraction of the second seco	Notes Ne Modelled Flood Extents map combines multiple model outputs to indicate modelled extents for the 1 in 100 year (1%) and 1 in 1000 year (0.1%) flood events. The model outputs were provided by the Environment Agency (EA). Models included in these are as follows: - Cam Lodes Model (2012) - Cam Urban Model (2012) - Cam Rural Model (2012) - Coldhams Brook Model (2013) - Gough Way Model (2013) - Lower Ouse Model (2015) - Vicars Brook Model (2009) The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.				
2 km	Sheet Number:	1:23,970 @ A3 Drawn: MD	Date: 26/0 Checked:	)7/2021 PJ	
latabase rights.	00 01 01	Figure: 48444/4005/0	GIS025	Rev A	



Section 1	NX.	X	Ely	1	
Em	Alconbury Weald		P	13	
	St be		(asol	ham	
- AC	na	• Northstowe	K	LA	
			-1	Newman	
High Pi	StNeo				
Salks	prover a	M11 + 1	/	and the	
Hanging	Sandy <sup>a</sup> Pottor	XXX	J.	es !!	
Pond	Bigglesware	6 Ar	N'N	Hav	
	hefford	leyson	Saffron	5	
Acre p	Stotfold	V	Walden	5	
12-51	Baldock	Mil	Y	Thaxted	
¢	OHitchiğ	Buntingford			
A CONTRACT	Legend				
Spring	Study Area				
Weed	Cambridge City Boundary				
	South Cam	bridgeshire Bou	undary		
Duck	Modelled Flood	Extents			
Home Farm	100yr				
	1000yr				
Pused Pasa					
Aud Par					
Concore Concore	Nataa				
Audies	<b>NOTES</b>	Extents man combin	nes multin	le model	
a lway	outputs to indicate mod and 1 in 1000 year (0.1	delled extents for the %) flood events. The	1 in 100 y model out	/ear (1%)	
Un louse Abbey	provided by the Environ	ment Agency (EA).			
The start	Models included in these	e are as follows:			
LAG-	- Cam Lodes Model (20 - Cam Urban Model (20	12) 12)			
Co Co Co Co	- Cam Rurai Model (201 - Coldhams Brook Mode - Gough Way Model (20	4) el (2013) 17)			
1 En	- Lower Ouse Model (20 - Vicars Brook Model (20	)15) 009)			
1179	The main type of model	l utilised by these is a	n ISIS-TuF	LOW 1D-	
176	2D model. However, th model.	ne Vicars Brook mod	lel is a 2D	JFLOW	
Sparrows End					
2		1:23,970 @ A3	Date: 26/0	)7/2021	
km	Sheet Number:	Drawn: MD	Checked:	PJ	
database rights.	36 of 37	Figure: 48444/4005/0	GIS025	Rev A	
		L			



	NX	X	Ely	
	Alconbury Weald	ALI	J.	1 100
	Stive	Concernant - 3	Casol	ham
	A P	o Northstowe		L
		< )/E	17	Nevmar
A.	St Neo		1	1
	1 3	Mr.	X	
101	Las	AL		
12	Sandy Pottor	XM		ζ
Old Hall	Bigglesware			A Hav
Farm	hefford	uyaon ball	Saffron	6
	Baldock	v p	walden	AC
		Mil	Y	Thaxted
	<u>e Hitchin</u>	Buntingford		(
	Legend			
land's m	Study Area			
	Cambridge City Boundary			
	South Cambridgeshire Boundary			
	Modelled Flood Extents			
	100yr			
	1000yr			
Martin's Farm Com				
Mess				
servoir				
lonk's Mill	Notes			
	The Modelled Flood Extents map combines multiple model outputs to indicate modelled extents for the 1 in 100 year (1%)			
	and 1 in 1000 year (0.1%) flood events. The model outputs were provided by the Environment Agency (EA).			
	Models included in these are as follows:			
Loph	- Cam Lodes Model (2012) - Cam Urban Model (2012)			
	- Cam Rural Model (2014) - Coldhams Brook Model (2013) - Gough Way Model (2017) - Lower Ouse Model (2015)			
Springlet				
	- Vicars Brook Model (2009)			
se 88	The main type of model utilised by these is an ISIS-TuFLOW 1D- 2D model. However, the Vicars Brook model is a 2D JFLOW model.			
Sewage Works	model.			
Hea		F		
2 km	Sheet Number:	1:23,970 @ A3	Date: 26/0	)7/2021
	37 of 37	Drawn: MD	Checked:	PJ
database rights.	57 57 57	Figure: 48444/4005/0	GIS025	Rev A