


### Slate Hall Industrial Estate Lolworth assessment



#### A map of Slate Hall Industrial Estate Lolworth

Site information	-
Site ID	115110
HELAA Site ID	200800
Suitable Site Area (ha)	3.14
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Previously developed land
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Within or adjacent to infill village
Current use(s)	Commercial / Industrial
Proposed development	Non-Residential
Proposed employment floorspace (m2)	5500-6160
Proposed residential capacity	0
Suitability	
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Red
Flood Risk Officer Comment 2025	Flood zone: Partly in Flood Zone 2 (1%) Partly in Flood Zone 3 (2%) Surface water flooding: 4% lies in a 1 in 30 year event, 1% lies in a 1 in 100 year event
Flood Risk RAG Assessment 2023	-
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	-
Flood Risk Officer Comment 2021	-
Landscape RAG Assessment 2025	Amber
Landscape Comment 2025	Based on the submitted information the site has some capacity for intensified development, with reduced floor space to that shown to ensure tree planting can be incorporated within the car parking areas, as well as on site boundaries. Further assessment will be needed to guide the position and design of buildings, and the extent of buffer planting.
Landscape RAG Assessment 2023	-
Landscape Comment 2023	-
Landscape RAG Assessment 2021	-
Landscape Comment 2021	-
Biodiversity and Geodiversity RAG Assessment 2025	Green
Biodiversity and Geodiversity Officer Comments 2025	A development of the size and scale described would not provide any specific ecological risks to statutory or non-statutory designated sites. However, this does not remove the likelihood of protected and priority species being impacted, nor that a development of the type described would likely be eligible for mandatory minimum biodiversity net gain.
Biodiversity and Geodiversity Guideline Comments 2025	Development of the site would not have a detrimental impact on any designated site, or those with a regional or local protection.
Biodiversity and Geodiversity RAG Assessment 2023	-
Biodiversity and Geodiversity Officer Comments 2023	-
Biodiversity and Geodiversity Guideline Comments 2023	-

Biodiversity and Geodiversity RAG Assessment 2021	-
Biodiversity and Geodiversity Officer Comments 2021	-
Biodiversity and Geodiversity Guideline Comments 2021	-
Policy RAG Rating 2025	Green
Policy Officer Comment 2025	Site is not on protected open space designation. Any impact of the proposed development could be reasonably mitigated or compensated.
Historic Environment RAG Assessment 2025	Amber
Historic Environment Comments 2025	The site was originally assessed amber as part of a larger site boundary (HELAA site 40248), Slate Hall Farm is potentially a non-designated heritage asset (NDHA) and due to the potential presence of archaeological remains. Slate Hall Farm has been excluded from the red line. The masterplan shows how development will be designed to respect the more sensitive north side of the site nearest Slate Hall. Nevertheless, the site should remain amber on heritage grounds. Development of the site could have a detrimental impact on non-designated heritage asset or its setting, but the impact could be reasonably mitigated.
Historic Environment RAG Assessment 2023	-
Historic Environment Comments 2023	-
Historic Environment RAG Assessment 2021	-
Historic Environment Comments 2021	-
Archaeology RAG Assessment 2025	Amber
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	-
Archaeology Officer Comment 2023	-
Archaeology RAG Assessment 2021	-
Archaeology Officer Comment 2021	-
Accessibility RAG Assessment 2025 - Automated	Red
Accessibility RAG Assessment 2025 - Officer Verified	-


Accessibility Comment 2025	Inadequate accessibility to key local services, transport, and employment opportunities. Proposed development would not require delivery of accompanying key services
Site Access RAG Assessment 2025	Amber
Site Access Officer Comment 2025	The site has been scored as Amber. The site is acceptable in principle, subject to further detail and consultation. A significant level of infrastructure will be required outside the site boundary to encourage more sustainable transport links. It is unclear whether these sustainable transport links can be achieved within the local available constraints.
Site Access RAG Assessment 2023	-
Site Access Officer Comment 2023	-
Site Access RAG Assessment 2021	-
Site Access Officer Comment 2021	-
Transport and Roads RAG Assessment 2025	Amber
Transport and Roads Guideline Comments 2025	Any potential impact on the functioning of trunk roads and/or local roads could be reasonably mitigated.
	A vehicle trip budget is expected to be required if this site were to be allocated for development.
	The development would need to provide mitigation to reduce the vehicle impact and encourage active travel and public transport use.
	A Transport Assessment and a Travel Plan will be required.
Transport and Roads RAG Assessment 2023	-
Transport and Roads Guideline Comments 2023	-
Transport and Roads RAG Assessment 2021	-
Transport and Roads Guideline Comments 2021	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	-

Noise, Vibration, Odour and Light Pollution RAG Assessment 2021  Noise, Vibration, Odour and Light Pollution Guideline Comments 2021  AQMA RAG Assessment 2025  Air Quality Officer Comments 2025  AQMA RAG Assessment 2023  AQMA RAG Assessment 2023  AQMA RAG Assessment 2023  AIr Quality Officer Comment 2023  AIr Quality Officer Comment 2023  AURA RAG Assessment 2021  Contaminated Land RAG Assessment 2025  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2021  Contaminated Land RAG Assessment 2021  Contaminated Land Contaminated Land Contamination / ground stability issues.  Contaminated Land Conta		
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021  AQMA RAG Assessment 2025  AIr Quality Officer Comment 2025  AQMA RAG Assessment 2025  AQMA RAG Assessment 2023  AQMA RAG Assessment 2021  Air Quality Officer Comment 2021  Air Quality Officer Comment 2025  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2021  Contaminated Land Contaminated Land RAG Assessment 2021  Contaminated Land Contaminated Land Contaminated Land RAG Assessment 2021  Contaminated Land Contaminated L	and Light Pollution RAG	
Air Quality Officer Comment 2025  Air Quality Officer Comment 2025  Air Quality Officer Quality Management Area (AQMA) and therefore will have minimal traffic impact on designated AQMAs.  AQMA RAG Assessment 2023  Air Quality Officer Comment 2023  Air Quality Officer Comment 2021  Air Quality Officer Comment 2021  Air Quality Officer Comment 2025  Contaminated Land RAG Assessment 2025  Contaminated Land Officer Comments 2025  Contaminated Land RAG Assessment 2025  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2021  Contaminated Land RAG Assessment 2021  Contaminated Land RAG Assessment 2021  Contaminated Land Officer Comments 2023  Contaminated Land Officer Comments 2021  Contaminated Land Contaminated Land Officer Comments 2021  Contaminated Land Contaminated Land Officer Comments 2021  Contaminated Land Officer Comments 2021  Overall Suitability Score Further constraints  Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural Agricultural Land Classification Non Agricultural Agricultur	and Light Pollution	-
Comment 2025 Quality Management Area (AQMA) and therefore will have minimal traffic impact on designated AQMAs.  AQMA RAG Assessment 2023 AIr Quality Officer comment 2023 AQMA RAG Assessment 2021 Contaminated Land RAG Assessment 2025 Contaminated Land Officer Comments 2025 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Assessment 2023 Contaminated Land Officer Comments 2023 Contaminated Land Officer Comments 2023 Contaminated Land RAG Assessment 2021 Contaminated Land RAG Assessment 2021 Contaminated Land Contaminated Land Officer Comments 2023 Contaminated Land RAG Assessment 2021 Contaminated Land Contaminated Land Officer Comments 2021 Contaminated Land Classification Grade 1 Agricultural Land Classification Grade 2 Agricultural Land Classification Grade 3 Agricultural Land Classification Grade 4 Agricultural Land Classification Grade 4 Agricultural Land Classification Grade 4 Agricultural Land Classification Magricultural And Classification Nagricultural Agricultural Land Classification Nagricultural Agricultural Land Classification Nagricultural Clascation Nagricultural Classification Nagricultural Classification		Green
Air Quality Officer Comment 2023  AQWA RAG Assessment 2021  Air Quality Officer Comment 2021  Contaminated Land RAG Assessment 2025  Contaminated Land Officer Comments 2025  Contaminated Land RAG Assessment 2025  Contaminated Land RAG Assessment 2025  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land Officer Comments 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2021  Contaminated Land Contaminated Land Contamination / ground stability issues.  Purther comments 2021  Overall Suitability Score Red  Further constraints  Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural And Classification Urban Classification Urban Source Protection Zone  Highways England Zones  A14 West		Quality Management Area (AQMA) and therefore will have minimal
Comment 2023 AQMA RAG Assessment 2021 Air Quality Officer Comment 2021 Contaminated Land RAG Assessment 2025 Contaminated Land Contaminated Land RAG Assessment 2025 Contaminated Land RAG Assessment 2025 Contaminated Land RAG Assessment 2025 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Assessment 2021 Contaminated Land Contaminated Land Contaminated Land Contaminated Land RAG Assessment 2021 Contaminated Land Contami		-
Air Quality Officer Comment 2021  Contaminated Land RAG Assessment 2025  Contaminated Land Officer Comments 2025  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land RAG Assessment 2023  Contaminated Land Officer Comments 2023  Contaminated Land Officer Comments 2023  Contaminated Land Officer Comments 2023  Contaminated Land RAG Assessment 2021  Contaminated Land RAG Assessment 2021  Contaminated Land Officer Comments 2021  Overall Suitability Score  Red  Further constraints		-
Comment 2021 Contaminated Land RAG Assessment 2025 Contaminated Land RAG Assessment 2025 Contaminated Land RAG Assessment 2023 Contaminated Land Officer Comments 2023 Contaminated Land Officer Comments 2023 Contaminated Land Officer Comments 2023 Contaminated Land RAG Assessment 2021 Contaminated Land Officer Comments 2021 Coverall Suitability Score Red Further constraints Agricultural Land Classification Grade 1 Agricultural Land Classification Grade 2 Agricultural Land Classification Grade 3 Agricultural Land Classification Grade 4 Agricultural Land Classification Non Agricultural Land Classification Non Agricultural Land Classification Urban Source Protection Zone Highways England Zones  Are Green  The site is capable of being developed as there are unlikely to be any contaminated Land Chasification / ground stability issues.  The site is capable of being developed as there are unlikely to be any contamination / ground stability issues.  The site is capable of being developed as there are unlikely to be any contamination / ground stability issues.	•	-
Assessment 2025 Contaminated Land Officer Comments 2025 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Officer Comments 2023 Contaminated Land RAG Assessment 2023 Contaminated Land RAG Assessment 2021 Contaminated Land RAG Assessment 2021 Contaminated Land RAG Assessment 2021 Contaminated Land Officer Comments 2021 Contaminated Land RAG Assessment 2021 Contaminated Land Contaminated Land RAG Assessment 2021 Contaminated Land Contaminated Land Classification Grade 1 Agricultural Land Classification Grade 2 Agricultural Land Classification Grade 3 Agricultural Land Classification Grade 4 Agricultural Land Classification Grade 4 Agricultural Land Classification Grade 4 Agricultural Land Classification Won Agricultural Land Classification Won Agricultural Land Classification Urban Source Protection Zone Highways England Zones  A14 West		-
Officer Comments 2025 contamination / ground stability issues.  Contaminated Land RAG Assessment 2023		Green
Assessment 2023  Contaminated Land Officer Comments 2023  Contaminated Land RAG Assessment 2021  Contaminated Land Officer Comments 2021  Contaminated Land Officer Comments 2021  Overall Suitability Score Red  Further constraints - Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural Land Classification Vion Agricultural Cland Classification Urban  Source Protection Zone 0  Highways England Zones A14 West		
Officer Comments 2023  Contaminated Land RAG Assessment 2021  Contaminated Land Officer Comments 2021  Overall Suitability Score Further constraints  Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Grade 4  Agricultural Land Classification Orade 4  Agricultural Land Classification Orade 4  Agricultural Land Classification Orade 4  Agricultural Land Classification Vorade 4  Agricultural Cland Cl		-
Assessment 2021  Contaminated Land Officer Comments 2021  Overall Suitability Score Further constraints  Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Grade 4  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural And Classification Non Agricultural Cland Classification Urban  Source Protection Zone  Highways England Zones  Age  Age  Age  Age  Age  Age  Age  A		-
Officer Comments 2021  Overall Suitability Score Red  Further constraints - Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Hona Agricultural Classification Source Protection Zone O  Highways England Zones A14 West		-
Further constraints  Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural Land Classification Non Agricultural Cland Classification Non Agricultural Cland Classification Urban  Source Protection Zone Highways England Zones  O  O  O  O  O  O  O  O  O  O  O  O  O		-
Agricultural Land Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural Land Classification Non Agricultural Land Classification Von Agricultural Classification Urban  Source Protection Zone Highways England Zones  O  O  O  O  Agricultural Classification Urban	Overall Suitability Score	Red
Classification Grade 1  Agricultural Land Classification Grade 2  Agricultural Land Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural Agricultural Land Classification Von Agricultural Cand Classification Urban  Source Protection Zone Highways England Zones  A14 West	Further constraints	_
Classification Grade 2 Agricultural Land Classification Grade 3 Agricultural Land Classification Grade 4 Agricultural Land Classification Non Agricultural Agricultural Agricultural Agricultural Classification Urban Source Protection Zone Highways England Zones  6.18  0  0  0  1  0  1  1  1  1  1  1  1  1		0
Classification Grade 3  Agricultural Land Classification Grade 4  Agricultural Land Classification Non Agricultural  Agricultural  Agricultural Land Classification Urban  Source Protection Zone  Highways England Zones  O  O  O  O  O  O  O  O  O  O  O  O  O		93.82
Classification Grade 4  Agricultural Land Classification Non Agricultural  Agricultural Land Classification Urban  Source Protection Zone  Highways England Zones  Agricultural Land Agricultural Land Classification Urban		6.18
Classification Non Agricultural  Agricultural Land Classification Urban  Source Protection Zone Highways England Zones  A14 West		0
Classification Urban  Source Protection Zone 0  Highways England Zones A14 West	Classification Non	0
Highways England Zones A14 West		0
	Source Protection Zone	0
Available -	Highways England Zones	A14 West
	Available	-

Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site was submitted by the landowner and/or site promoter who has confirmed that the site is available for development in the timescales indicated.
Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	No, Application pending for retrospective change of use for the recycling of inert (CD&E) waste into recycled aggregate material.(23/04293/FUL)
When will the site be available for development?	0 to 5 years
Available RAG	Amber
Achievable	-
Is there a reasonable prospect that the site will be developed?	The land has been promoted by the landowner and or developer and is known to be available for development. The site has a low existing use value and development is likely to be economically viable
Achievable RAG	Green
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	-
Residential capacity at prevailing density	-
Estimated employment space (m2)	5500-6160
Estimated start date	0-5 Years
Estimated annual build-out rate (pa)	-
Development completion timescales (years)	0-5 Years



# Land at Junction 25 of A14, Bar Hill assessment



#### A map of Land at Junction 25 of A14, Bar Hill

Site information	-
Site ID	115165
HELAA Site ID	40248
Suitable Site Area (ha)	100.59
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Greenfield
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Not within or adjacent to an existing settlement
Current use(s)	Agricultural Land / Building
Proposed development	Non-Residential
Proposed employment floorspace (m2)	70000-260000
Proposed residential capacity	0
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Amber
Flood Risk Officer Comment 2025	A response to HELAA assessment Proposed Development at Slate Hall Farm, Barhill, Cambridge by MJM consulting engineers. Based on this new information, the site assessment scoring remains as Amber. Whilst a proportion of the site is within flood risk zone 1, the site contains an area at high risk of fluvial and surface water flooding around Oakington Brook. Additionally the hydraulic modelling information referenced was not supplied to the LPA so we are unable to verify its suitability.
Flood Risk RAG Assessment 2023	Amber
Flood Risk Officer Comment 2023	A response to HELAA assessment Proposed Development at Slate Hall Farm, Barhill, Cambridge by MJM consulting engineers. Based on this new information, the site assessment scoring remains as Amber. Whilst a proportion of the site is within flood risk zone 1, the site contains an area at high risk of fluvial and surface water flooding around Oakington Brook. Additionally the hydraulic modelling information referenced was not supplied to the LPA so we are unable to verify its suitability.
Flood Risk RAG Assessment 2021	Amber
Flood Risk Officer Comment 2021	The site is within flood zones 3a or 3b.
Landscape RAG Assessment 2025	Amber
Landscape Comment 2025	Based on the updated information, the overall score has been changed to Amber. The site is in an area of exposed, open farmland and the scale of the proposed development will make it highly visible and bring significant change to the landscape. However, the existing framework of small woodlands, tracks, field boundary trees and hedgerows will be retained and incorporated into the proposed layout and provide some mitigation for the development. Retention of a large swathe of green space on the east of the site will also mitigate the impacts on landscape. Further sensitive mitigation will be required.
Landscape RAG Assessment 2023	RED
Landscape Comment 2023	The information submitted include a Landscape and Visual Appraisal. The findings of the appraisal, considerably devalue the contribution of the site to long and open views across the countryside. In addition, the site contributes to a rural separation between the expanding development at Northstowe, Longstanton and Oakington and the newly completed A14. It is considered that the submitted information does not alter our original assessment.
Landscape RAG Assessment 2021	Red
Landscape Comment 2021	The site has experience considerable change due to the nearby A14 upgrade works. The landscape character of this area has undergone disruption and is degraded due to the intrusion of a major transport route. Development of this site would further degrade the landscape character of the area. Limited low-level development could be achieved if focused near the existing developed area and well buffered.

Biodiversity and Geodiversity RAG Assessment 2025	Amber
Biodiversity and Geodiversity Officer Comments 2025	Having considered the submitted information, the assessment of biodiversity and geodiversity has not changed substantially. The proposed site may contain priority habitat which will require assessment and possible compensation if removed. A development of the size and scale described would not provide any specific ecological risks to statutory or non-statutory designated sites. However, this does not remove the likelihood of protected and priority species being impacted.
Biodiversity and Geodiversity Guideline Comments 2025	Development of the site may have a detrimental impact on a designated site, protected habitats, priority species, or ecological assets with a regional or local protection, but the impact could be reasonably mitigated or compensated.
Biodiversity and Geodiversity RAG Assessment 2023	Amber
Biodiversity and Geodiversity Officer Comments 2023	No additional information has been provided in relation to ecology impacts and mitigation. The amended site boundary also does not raise any additional ecological issues. Therefore, there is no change to the site assessment scoring.
Biodiversity and Geodiversity Guideline Comments 2023	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Biodiversity and Geodiversity RAG Assessment 2021	Amber
Biodiversity and Geodiversity Officer Comments 2021	Consultation with Natural England unlikely to be required(unless residential). Hedgerows, woodland, mature trees and watercourses may qualify as priority habitat/Habitats of Principal Importance and support protected/notable species. Otherwise likely to be of low ecological value (arable). Buildings and mature trees may support roosting bats (if suitable). Records of bats (including barbastelle), water vole and otter within site. Farmland bird populations may be present.
Biodiversity and Geodiversity Guideline Comments 2021	Development of the site would not have a detrimental impact on any designated site, or those with a regional or local protection.
Policy RAG Rating 2025	Green
Policy Officer Comment 2025	Site is not on protected open space designation. Any impact of the proposed development could be reasonably mitigated or compensated.
Historic Environment RAG Assessment 2025	Amber
Historic Environment Comments 2025	Based on the additional information provided, the assessment score remains amber. Slate Hall Farm (a potential non-designated heritage asset) has been excluded from the red line. Nevertheless, the HELAA rebuttal simply reiterates previous comments. The applicants have assessed the site for archaeological remains and have concluded that there are some on the site. Taking this into consideration, the site should remain amber on heritage grounds too as the archaeological evidence could point to the existing building having heritage potential. Development of the site could have a detrimental impact on non-designated heritage asset or its setting, but the impact could be reasonably mitigated.

Historic Environment RAG Assessment 2023	Amber
Historic Environment Comments 2023	The site was originally classed as amber as the assessor considered that Slate Farm may be a NDHA or may be on an earlier site with archaeological potential. The applicants have assessed the site for archaeological remains and have concluded that there are some on the site and that it should remain as amber for that category. Taking this into consideration, the site should remain amber on heritage grounds too as the archaeological evidence could point to the existing building having heritage potential.
Historic Environment RAG Assessment 2021	Amber
Historic Environment Comments 2021	Development of the site could have a detrimental impact on a designated or non-designated heritage asset or the setting of a designated or non-designated heritage asset, but the impact could be reasonably mitigated.
Archaeology RAG Assessment 2025	Amber
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	Amber
Archaeology Officer Comment 2023	Based on the additional information provided, the assessment for the site remains unchanged as Amber as there is evidence of archaeology in the area that will require further investigation.
Archaeology RAG Assessment 2021	Amber
Archaeology Officer Comment 2021	Extensive settlement of Iron Age and Roman date known in the area
Accessibility RAG Assessment 2025 - Automated	Amber
Accessibility RAG Assessment 2025 - Officer Verified	-
Accessibility Comment 2025	Inadequate accessibility to key local services, transport, and employment opportunities. Proposed development would not require delivery of accompanying key services
Site Access RAG Assessment 2025	Amber
Site Access Officer Comment 2025	Based on the additional information provided, assessment of the site remains unchanged as Amber. The site is acceptable in principle, subject to greater detail. A significant level of infrastructure will be required outside the site boundary to encourage more sustainable transport links. It is unclear whether these sustainable transport links can be achieved within the local available constraints.
Site Access RAG Assessment 2023	Amber
Site Access Officer Comment 2023	Based on the new information provided, the site access assessment remains unchanged. The proposed site is acceptable in principle subject to detailed design.

Site Access RAG Assessment 2021	Amber
Site Access Officer Comment 2021	The proposed site is acceptable in principle subject to detailed design. The Local Planning Authority will need to consult with the Highway Agency, as National Highway Authority, in respect to the proposed site.
Transport and Roads RAG Assessment 2025	Amber
Transport and Roads Guideline Comments 2025	Having considered the updated information, the overall score has remained unchanged. The site has sustainable links to Northstowe. The site does not have very good cycle links to Cambridge. Development of the site will likely cause severe junction capacity issues at the Bar Hill Interchange due to the reduction in lanes originally proposed on the northbound off-slip as part of the A14 highways works. There are constraints, which mean that additional required capacity cannot be easily implemented hence the reliance on the reduction of car trips through modal shifts to public and active travel, which do not yet have the appropriate infrastructure. Robust mitigation, Transport Assessment and Travel Plan work will be required.
Transport and Roads RAG Assessment 2023	Amber
Transport and Roads Guideline Comments 2023	Following further consideration of the site, including the additional information, the site assessment has been changed to amber. Whilst the site is remote from any existing passenger transport infrastructure, development would need to provide high quality passenger transport links to Cambridge, links into local non-motorised user facilities (via the existing A1307 cycleway) and will impact on the A14 and associated junctions and local links. Will require a robust Travel Plan.
Transport and Roads RAG Assessment 2021	Red
Transport and Roads Guideline Comments 2021	Transport Assessment and Travel Plan required.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	The assessment of the site remains unchanged as Amber. The proposed site will be affected by road traffic noise from nearby main roads but is acceptable in principle subject to appropriate detailed design considerations and mitigation.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	New information provided has not changed the assessment. The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation. Detailed site specific assessments will be required for any future planning applications at this location.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2021	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021	The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation.

AQMA RAG Assessment 2025	Amber
Air Quality Officer Comment 2025	Based on the additional information provided, assessment of the site remains unchanged as Amber. The site does not fall within an Air Quality Management Area (AQMA). Given the scale of the scheme, inherent/intrinsic designed-in air quality mitigation measures may be necessary to offset impacts on designated AQMAs.
AQMA RAG Assessment 2023	Amber
Air Quality Officer Comment 2023	The additional information provided does not significantly affect air quality issues or mitigation. Therefore the assessment of the site remains unchanged since the original assessment. The site is located outside an AQMA but there is potential for an impact on AQMA which will require inherent / intrinsic designed in Air Quality mitigation.
AQMA RAG Assessment 2021	Amber
Air Quality Officer Comment 2021	Partially in AQMA. Will require inherent / intrinsic designed in AQ mitigation.
Contaminated Land RAG Assessment 2025	Amber
Contaminated Land Officer Comments 2025	The additional information provided does not significantly affect environmental health issues or mitigation. Therefore the assessment of the site remains unchanged since the original assessment as this is a site with the potential for historic contamination and planning conditions will be required.
Contaminated Land RAG Assessment 2023	Amber
Contaminated Land Officer Comments 2023	The additional information provided does not significantly affect environmental health issues or mitigation. Therefore the assessment of the site remains unchanged since the original assessment as this is a site with the potential for historic contamination and planning conditions will be required.
Contaminated Land RAG Assessment 2021	Amber
Contaminated Land Officer Comments 2021	Potential for historic contamination, conditions required.
Overall Suitability Score	Amber
Further constraints	-
Agricultural Land Classification Grade 1	0
Agricultural Land Classification Grade 2	70.8
Agricultural Land Classification Grade 3	29.2
Agricultural Land Classification Grade 4	0
Agricultural Land Classification Non Agricultural	0
Agricultural Land Classification Urban	0

Source Protection Zone	0
Highways England Zones	A14 West
Available	-
Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site was submitted by the landowner and/or site promoter who has confirmed that the site is available for development in the timescales indicated.
Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	No, Application pending for retrospective change of use for the recycling of inert (CD&E) waste into recycled aggregate material. (23/04293/FUL)
When will the site be available for development?	0 to 5 years
Available RAG	Amber
Achievable	-
Is there a reasonable prospect that the site will be developed?	The land has been promoted by the landowner and or developer and is known to be available for development. The site has a low existing use value and development is likely to be economically viable
Achievable RAG	Green
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	-
Residential capacity at prevailing density	-
Estimated employment space (m2)	70000-260000
Estimated start date	0-5 Years
Estimated annual build-out rate (pa)	-
Development completion timescales (years)	6-10 Years



## East Goods Yard, Station Rd, Oakington CB24 3AH assessment



#### A map of East Goods Yard, Station Rd, Oakington CB24 3AH

Site information	-
Site ID	115187
HELAA Site ID	59328
Suitable Site Area (ha)	0.55
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Previously developed land
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Within or adjacent to group village
Current use(s)	Commercial / Industrial
Proposed development	Residential
Proposed employment floorspace (m2)	0
Proposed residential capacity	5-15
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Red
Flood Risk Officer Comment 2025	Flood zone: Partly in Flood Zone 2 (59%) Partly in Flood Zone 3 (41%); Surface water flooding: 2% lies in a 1 in 1000 year event. The site is wholly or largely within Flood Zones 2 or 3 such that it cannot accommodate at least 5 additional dwellings or an increase of 500 square metres of employment floorspace.
Flood Risk RAG Assessment 2023	Red
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	-
Flood Risk Officer Comment 2021	-
Landscape RAG Assessment 2025	Amber
Landscape Comment 2025	The updated information does not alter previous landscape comments. The site is a long, narrow strip of land next to the guided busway on former railway land associated with Westwick Station, east of the Northstowe AAP. The southern tip of the site is in the conservation area. Development could be accommodated on the site provided that the landscape design and housing density were sympathetic to the landscape context.
Landscape RAG Assessment 2023	Amber
Landscape Comment 2023	The site is a long, narrow strip of land next to the guided busway on former railway land associated with Westwick Station, east of the Northstowe AAP. The southern tip of the site is in the conservation area. Development could be accommodated on the site providing that the landscape design and housing density were sympathetic to the landscape context.
Landscape RAG Assessment 2021	-
Landscape Comment 2021	-
Biodiversity and Geodiversity RAG Assessment 2025	Amber
Biodiversity and Geodiversity Officer Comments 2025	Having considered the submitted information, the previous assessment still applies. Discharge to ground or surface water of more than 20m³ per day would require consultation with Natural England. There is no evidence of Priority habitats and the site contains building and grassland, which likely contain limited ecological value. However, surveys for protected and priority species will need to be completed. Applications may find provision of mandatory net gain in biodiversity difficult within the site boundaries.
Biodiversity and Geodiversity Guideline Comments 2025	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection, but the impact could be reasonably mitigated or compensated.

Biodiversity and Geodiversity RAG Assessment 2023	Amber
Biodiversity and Geodiversity Officer Comments 2023	Discharge to ground or surface water of more than 20m³ per day would require consultation with Natural England. There is no evidence of Priority habitats and the site contains building and grassland, which likely contain limited ecological value. However, surveys for protected and Priority species will need to be completed. Applications may find provision of a 10% net gain in biodiversity difficult within their red line boundaries.
Biodiversity and Geodiversity Guideline Comments 2023	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Biodiversity and Geodiversity RAG Assessment 2021	Amber
Biodiversity and Geodiversity Officer Comments 2021	-
Biodiversity and Geodiversity Guideline Comments 2021	-
Policy RAG Rating 2025	Amber
Policy Officer Comment 2025	Site is not on a protected open space designation, however there are some protected open space designations on the periphery of the site. Development of the site may have a detrimental impact on the peripheral open space designations, but the impact could be reasonably mitigated or compensated. Within 50m of Public Open Space. Within 50m of an Outdoor Sports Facility.
Historic Environment RAG Assessment 2025	Amber
Historic Environment Comments 2025	The updated site boundary includes access to the site which is in the Westwick Conservation Area. 43 Station Road is a non-designated heritage asset. Development of the site has the potential to affect the setting of these heritage assets but could be reasonably mitigated through design and landscaping.
Historic Environment RAG Assessment 2023	Amber
Historic Environment Comments 2023	Part of the site is within the Westwick Conservation Area. The scale as shown on the Masterplan may be appropriate to the site along the edge of the Guided Busway. The development could have a detrimental impact on the conservation area, but this could be mitigated by good design and materials.
Historic Environment RAG Assessment 2021	-
Historic Environment Comments 2021	-
Archaeology RAG Assessment 2025	Amber
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	Amber


Archaeology Officer Comment 2023	Located in an area of medieval settlement and associated activity
Archaeology RAG Assessment 2021	-
Archaeology Officer Comment 2021	-
Accessibility RAG Assessment 2025 - Automated	Amber
Accessibility RAG Assessment 2025 - Officer Verified	-
Accessibility Comment 2025	Inadequate accessibility to key local services, transport, and employment opportunities. Proposed development would not require delivery of accompanying key services
Site Access RAG Assessment 2025	Red
Site Access Officer Comment 2025	The site assessment score has been changed to Red. The proposed access into the site from the adopted public highway is unsuitable to serve the number of units proposed.
Site Access RAG Assessment 2023	Amber
Site Access Officer Comment 2023	The proposed site is acceptable in principle subject to detailed design.
Site Access RAG Assessment 2021	-
Site Access Officer Comment 2021	-
Transport and Roads RAG Assessment 2025	Green
Transport and Roads Guideline Comments 2025	Based on the updated information submitted, the overall assessment score has not changed. This falls below the threshold for a Transport Assessment
Transport and Roads RAG Assessment 2023	Green
Transport and Roads Guideline Comments 2023	Based on the nature and scale of the proposed development, there are no substantial roads and transport impacts identified at this stage.
Transport and Roads RAG Assessment 2021	-
Transport and Roads Guideline Comments 2021	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-

Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	The proposed site will be affected by noise from the Cambridgeshire Guided Busway but is acceptable in principle subject to appropriate detailed design considerations and mitigation. The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2021	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021	-
AQMA RAG Assessment 2025	Green
Air Quality Officer Comment 2025	Based on the additional information provided, assessment of the site remains unchanged as Amber. The site does not fall within an Air Quality Management Area (AQMA) and therefore will have minimal traffic impact on designated AQMAs.
AQMA RAG Assessment 2023	Green
Air Quality Officer Comment 2023	The site does not lie within an AQMA and there will be minimal traffic impact on AQMA.
AQMA RAG Assessment 2021	-
Air Quality Officer Comment 2021	-
Contaminated Land RAG Assessment 2025	Amber
Contaminated Land Officer Comments 2025	The site has the potential for historic contamination and, therefore, planning conditions will be required. Especially when considering the attached phase 1 study which indicates potential contaminated linkages.
Contaminated Land RAG Assessment 2023	Amber
Contaminated Land Officer Comments 2023	The site has the potential for historic contamination and, therefore, planning conditions will be required.
Contaminated Land RAG Assessment 2021	-
Contaminated Land Officer Comments 2021	-
Overall Suitability Score	Red
Further constraints	-
Agricultural Land Classification Grade 1	0
Agricultural Land Classification Grade 2	0
Agricultural Land Classification Grade 3	19.2
Agricultural Land Classification Grade 4	0

Agricultural Land Classification Non Agricultural	80.8
Agricultural Land Classification Urban	0
Source Protection Zone	0
Highways England Zones	A14 West
Available	-
Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site was submitted by the landowner and/or site promoter who has confirmed that the site is available for development in the timescales indicated.
Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	No relevant recent planning history
When will the site be available for development?	0 to 5 years
Available RAG	Amber
Achievable	-
Is there a reasonable prospect that the site will be developed?	The land has been promoted by the landowner and or developer and is known to be available for development. The site has a low existing use value and development is likely to be economically viable
Achievable RAG	Green
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	30
Residential capacity at prevailing density	16
Estimated employment space (m2)	0
Estimated start date	0-5 Years
Estimated annual build-out rate (pa)	40-75
Development completion timescales (years)	0-5 Years



## Land South East of Hattons Road, Longstanton assessment



#### A map of Land South East of Hattons Road, Longstanton

Site information	-
Site ID	115256
HELAA Site ID	200801
Suitable Site Area (ha)	54.62
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Greenfield
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Within or adjacent to group village
Current use(s)	Agricultural Land / Building
Proposed development	Residential
Proposed employment floorspace (m2)	0
Proposed residential capacity	1000
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Red
Flood Risk Officer Comment 2025	Flood zone: Partly in Flood Zone 2 (3%) Partly in Flood Zone 3 (9%); Surface water flooding: 9% lies in a 1 in 30 year event, 5% lies in a 1 in 100 year event and 11% lies in a 1 in 1000 year event
Flood Risk RAG Assessment 2023	-
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	-
Flood Risk Officer Comment 2021	-
Landscape RAG Assessment 2025	Red
Landscape Comment 2025	Landscape character will be affected by the proposals. Negative impacts on wide ranging views both inwards and outwards. Isolated from both Longstanton and the development at Northstowe. The site is an open part of the wider rural field structure of the area. It is considered that development will be incongruous with the rural character of that area.
Landscape RAG Assessment 2023	-
Landscape Comment 2023	-
Landscape RAG Assessment 2021	-
Landscape Comment 2021	-
Biodiversity and Geodiversity RAG Assessment 2025	Amber
Biodiversity and Geodiversity Officer Comments 2025	A development of the size and scale described would not provide any specific ecological risks to statutory or non-statutory designated sites. However, this does not remove the likelihood of protected and priority species being impacted, nor that a development of the type described would likely be eligible for mandatory biodiversity net gains.
Biodiversity and Geodiversity Guideline Comments 2025	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection, but the impact could be reasonably mitigated or compensated.
Biodiversity and Geodiversity RAG Assessment 2023	-
Biodiversity and Geodiversity Officer Comments 2023	-
Biodiversity and Geodiversity Guideline Comments 2023	-

Biodiversity and Geodiversity RAG Assessment 2021	-
Biodiversity and Geodiversity Officer Comments 2021	-
Biodiversity and Geodiversity Guideline Comments 2021	-
Policy RAG Rating 2025	Green
Policy Officer Comment 2025	Site is not on protected open space designation. Any impact of the proposed development could be reasonably mitigated or compensated. the site is wholly outside an open space designation
Historic Environment RAG Assessment 2025	Amber
Historic Environment Comments 2025	This site sits to the south west of the Longstanton conservation area (CA). There are long views to the site from School Lane and Longstanton Lane on the edges of the CA. The density and potential scale of the proposed development would need to be carefully assessed in relation to these views to avoid harm to the setting of the CA. Development of the site could have a detrimental impact on a designated or non-designated heritage asset or the setting of a designated or non-designated heritage asset, but the impact could be reasonably mitigated.
Historic Environment RAG Assessment 2023	-
Historic Environment Comments 2023	-
Historic Environment RAG Assessment 2021	-
Historic Environment Comments 2021	-
Archaeology RAG Assessment 2025	Red
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	-
Archaeology Officer Comment 2023	-
Archaeology RAG Assessment 2021	-
Archaeology Officer Comment 2021	-
Accessibility RAG Assessment 2025 - Automated	Amber
Accessibility RAG Assessment 2025 - Officer Verified	-
Accessibility Comment 2025	Inadequate accessibility to key local services, transport, and employment opportunities. Proposed development would not require delivery of accompanying key services


Site Access RAG Assessment 2025	Amber
Site Access Officer Comment 2025	The site has been scored as Amber. The site is acceptable in principle, subject to further detail and consultation. A significant level of infrastructure will be required outside the site boundary to encourage more sustainable transport links. It is unclear whether these sustainable transport links can be achieved within the local available constraints.
Site Access RAG Assessment 2023	-
Site Access Officer Comment 2023	-
Site Access RAG Assessment 2021	-
Site Access Officer Comment 2021	-
Transport and Roads RAG Assessment 2025	Amber
Transport and Roads Guideline Comments 2025	Any potential impact on the functioning of trunk roads and/or local roads could be reasonably mitigated.  The development would need to provide mitigation to reduce the vehicle impact and encourage active travel and public transport use.  A Transport Assessment and a Travel Plan will be required.  A vehicle trip budget for the development of this site is expected to be required.
Transport and Roads RAG Assessment 2023	-
Transport and Roads Guideline Comments 2023	-
Transport and Roads RAG Assessment 2021	-
Transport and Roads Guideline Comments 2021	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	Given the proximity to the newly opened dual carriageway it likely that some adverse noise would be experienced but it is acceptable in principle, subject to appropriate detailed design considerations and mitigation.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2021	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021	-

AQMA RAG Assessment 2025	Amber
Air Quality Officer Comment 2025	The site has been scored as Amber. Given its location and the scale of the scheme, inherent/intrinsic designed-in air quality mitigation measures and conditions will be necessary to offset impacts on designated Air Quality Management Areas (AQMA).
AQMA RAG Assessment 2023	-
Air Quality Officer Comment 2023	-
AQMA RAG Assessment 2021	-
Air Quality Officer Comment 2021	-
Contaminated Land RAG Assessment 2025	Amber
Contaminated Land Officer Comments 2025	Potential for historic contamination. The site is likely to be capable of being developed after appropriate mitigation or remediation of contamination / ground stability issues.
Contaminated Land RAG Assessment 2023	-
Contaminated Land Officer Comments 2023	-
Contaminated Land RAG Assessment 2021	-
Contaminated Land Officer Comments 2021	-
Overall Suitability Score	Red
Further constraints	-
Agricultural Land Classification Grade 1	0
Agricultural Land Classification Grade 2	0
Agricultural Land Classification Grade 3	100
Agricultural Land Classification Grade 4	0
Agricultural Land Classification Non Agricultural	0
Agricultural Land Classification Urban	0
Source Protection Zone	0
Highways England Zones	A14 West
Available	-
Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site was submitted by the landowner and/or site promoter who has confirmed that the site is available for development in the timescales indicated.

Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	Yes, Planning permission granted for agricultural access to land east of Hattons Road with associated swing gate(23/04353/FUL)
When will the site be available for development?	0 to 5 years
Available RAG	Amber
Achievable	-
Is there a reasonable prospect that the site will be developed?	The land has been promoted by the landowner and or developer and is known to be available for development. The site has a low existing use value and development is likely to be economically viable
Achievable RAG	Green
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	30
Residential capacity at prevailing density	819
Estimated employment space (m2)	0
Estimated start date	0-5 Years
Estimated annual build-out rate (pa)	120
Development completion timescales (years)	6-10 Years



# East of bypass, Longstanton assessment



### A map of East of bypass, Longstanton

Site information	-
Site ID	115320
HELAA Site ID	OS219
Suitable Site Area (ha)	5.75
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Greenfield
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Within or adjacent to Group Village
Current use(s)	-
Proposed development	Mixed use
Proposed employment floorspace (m2)	0
Proposed residential capacity	50
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Amber
Flood Risk Officer Comment 2025	Flood Zone: Partly in Flood Zone 2 (13%). Surface Water Flooding: 10% lies in a 1 in 30 year event. 3% lies in a 1 in 100 year event. 11% lies in a 1 in 1000 year event
Flood Risk RAG Assessment 2023	-
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	Amber
Flood Risk Officer Comment 2021	The site contains areas at high, or medium risk from surface water flooding and/or the site contains some land in Flood Zones 2 and/or 3 but there is sufficient land in Flood Zone 1 to accommodate at least 5 additional dwellings or an increase of 500 square metres of employment floorspace.
Landscape RAG Assessment 2025	-
Landscape Comment 2025	-
Landscape RAG Assessment 2023	-
Landscape Comment 2023	-
Landscape RAG Assessment 2021	Amber
Landscape Comment 2021	Overall, the use of the site for uses such as recreation will have negligible landscape impacts, particularly if landscape buffering is undertaken at the edges of the site. Additionally, this could potentially assist with wind control within the site. If residential were to be considered along side, it would have to be sympathetic to the Village character, layout and mitigation opportunities.
Biodiversity and Geodiversity RAG Assessment 2025	-
Biodiversity and Geodiversity Officer Comments 2025	-
Biodiversity and Geodiversity Guideline Comments 2025	-
Biodiversity and Geodiversity RAG Assessment 2023	-
Biodiversity and Geodiversity Officer Comments 2023	-
Biodiversity and Geodiversity Guideline Comments 2023	-

Biodiversity and Geodiversity RAG Assessment 2021	Amber
Biodiversity and Geodiversity Officer Comments 2021	All new housing developments will require assessment of increased visitor pressure on nearby SSSIs, LNRS and CWSs, specifically Norman Cement Pits, Cherry Hinton brook, the Spinney and Coldham's Common and Barnwell East LNR. The site supports priority habitats including woodland and chalk grassland and protected species, including bats and water voles. A considerable proportion of the sites is designated as local wildlife site, although currently in poor condition following site clearance. Red assessment given due to potential loss of designated site, although it is acknowledged that the Local plan policy 15 seeks to mitigate this loss which has then potential to warrant amber rating.
Biodiversity and Geodiversity Guideline Comments 2021	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Policy RAG Rating 2025	-
Policy Officer Comment 2025	-
Historic Environment RAG Assessment 2025	-
Historic Environment Comments 2025	-
Historic Environment RAG Assessment 2023	-
Historic Environment Comments 2023	-
Historic Environment RAG Assessment 2021	Green
Historic Environment Comments 2021	Development of the site would have either a neutral or positive impact, but importantly not have a detrimental impact on any designated or non-designated heritage assets.
Archaeology RAG Assessment 2025	-
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	-
Archaeology Officer Comment 2023	-
Archaeology RAG Assessment 2021	Amber
Archaeology Officer Comment 2021	Known archaeology of Iron Age and Medieval date in the area
Accessibility RAG Assessment 2025 - Automated	Amber
Accessibility RAG Assessment 2025 - Officer Verified	-
Accessibility Comment 2025	-


Site Access RAG Assessment 2025	-
Site Access Officer Comment 2025	-
Site Access RAG Assessment 2023	-
Site Access Officer Comment 2023	-
Site Access RAG Assessment 2021	Amber
Site Access Officer Comment 2021	The proposed site is acceptable in principle subject to detailed design.
Transport and Roads RAG Assessment 2025	-
Transport and Roads Guideline Comments 2025	-
Transport and Roads RAG Assessment 2023	-
Transport and Roads Guideline Comments 2023	-
Transport and Roads RAG Assessment 2021	Amber
Transport and Roads Guideline Comments 2021	Any potential impact on the functioning of trunk roads and/or local roads could be reasonably mitigated.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2021	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021	The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation.
AQMA RAG Assessment 2025	-
Air Quality Officer Comment 2025	-
AQMA RAG Assessment 2023	-
Air Quality Officer Comment 2023	-

AQMA RAG Assessment 2021	Amber
Air Quality Officer Comment 2021	Site does not lie within an AQMA But is in proximity to Northstowe major development
Contaminated Land RAG Assessment 2025	-
Contaminated Land Officer Comments 2025	-
Contaminated Land RAG Assessment 2023	-
Contaminated Land Officer Comments 2023	-
Contaminated Land RAG Assessment 2021	Amber
Contaminated Land Officer Comments 2021	Previous agricultural land use. Potential for historic contamination, conditions required.
Overall Suitability Score	Amber
Further constraints	-
Agricultural Land Classification Grade 1	0
Agricultural Land Classification Grade 2	0
Agricultural Land Classification Grade 3	100
Agricultural Land Classification Grade 4	0
Agricultural Land Classification Non Agricultural	0
Agricultural Land Classification Urban	0
Source Protection Zone	0
Highways England Zones	A14 West
Available	-
Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site was previously identified in the council's SHLAA. Currently there is no known landowner or developer interest in developing the site.
Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	No relevant recent planning history
When will the site be available for development?	11-15 Years
Available RAG	Red
Achievable	-

Is there a reasonable prospect that the site will be developed?	The land has not been promoted by the landowner and or developer and therefore it is not known to be available for development. The site has a low existing use value and development is likely to be economically viable at an appropriate density.
Achievable RAG	Amber
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	30
Residential capacity at prevailing density	121
Estimated employment space (m2)	0
Estimated start date	0-5 years
Estimated annual build-out rate (pa)	40-75
Development completion timescales (years)	0-5 Years



# Longstanton: N of Hattons Road (Policy E/4(1)) assessment



#### A map of Longstanton: N of Hattons Road (Policy E/4(1))

Site information	-
Site ID	115321
HELAA Site ID	OS058
Suitable Site Area (ha)	6.75
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Greenfield
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Within or adjacent to Group Village
Current use(s)	-
Proposed development	Non-residential
Proposed employment floorspace (m2)	34000
Proposed residential capacity	0
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Amber
Flood Risk Officer Comment 2025	Flood Zone: Partly in Flood Zone 2 (7%). Partly in Flood Zone 3 (2%) Surface Water Flooding: 3% lies in a 1 in 30 year event. 4% lies in a 1 in 100 year event.
Flood Risk RAG Assessment 2023	-
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	Amber
Flood Risk Officer Comment 2021	The site contains areas at high, or medium risk from surface water flooding and/or the site contains some land in Flood Zones 2 and/or 3 but there is sufficient land in Flood Zone 1 to accommodate at least 5 additional dwellings or an increase of 500 square metres of employment floorspace.
Landscape RAG Assessment 2025	-
Landscape Comment 2025	-
Landscape RAG Assessment 2023	-
Landscape Comment 2023	-
Landscape RAG Assessment 2021	Red
Landscape Comment 2021	Development of the allocation in the 2018 local plan, which includes land adjoining the longstanton Bypass, would have a significant impact on the landscape.
Biodiversity and Geodiversity RAG Assessment 2025	-
Biodiversity and Geodiversity Officer Comments 2025	-
Biodiversity and Geodiversity Guideline Comments 2025	-
Biodiversity and Geodiversity RAG Assessment 2023	-
Biodiversity and Geodiversity Officer Comments 2023	-
Biodiversity and Geodiversity Guideline Comments 2023	-
Biodiversity and Geodiversity RAG Assessment 2021	Amber

Biodiversity and Geodiversity Officer Comments 2021	All new housing developments will require assessment of increased visitor pressure on nearby SSSIs, LNRS and CWSs, specifically Norman Cement Pits, Cherry Hinton brook, the Spinney and Coldham's Common and Barnwell East LNR. The site supports priority habitats including woodland and chalk grassland and protected species, including bats and water voles. A considerable proportion of the sites is designated as local wildlife site, although currently in poor condition following site clearance. Red assessment given due to potential loss of designated site, although it is acknowledged that the Local plan policy 15 seeks to mitigate this loss which has then potential to warrant amber rating.
Biodiversity and Geodiversity Guideline Comments 2021	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Policy RAG Rating 2025 Policy Officer Comment 2025	-
Historic Environment RAG Assessment 2025	-
Historic Environment Comments 2025	-
Historic Environment RAG Assessment 2023	-
Historic Environment Comments 2023	-
Historic Environment RAG Assessment 2021	Green
Historic Environment Comments 2021	Development of the site would have either a neutral or positive impact, but importantly not have a detrimental impact on any designated or non-designated heritage assets.
Archaeology RAG Assessment 2025	-
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	-
Archaeology Officer Comment 2023	-
Archaeology RAG Assessment 2021	Amber
Archaeology Officer Comment 2021	Known archaeology of Iron Age and Medieval date in the area
Accessibility RAG Assessment 2025 - Automated	Amber
Accessibility RAG Assessment 2025 - Officer Verified	-
Accessibility Comment 2025	-
Site Access RAG Assessment 2025	-

Site Access Officer Comment 2025	-
Site Access RAG Assessment 2023	-
Site Access Officer Comment 2023	-
Site Access RAG Assessment 2021	Amber
Site Access Officer Comment 2021	The proposed site is acceptable in principle subject to detailed design.
Transport and Roads RAG Assessment 2025	-
Transport and Roads Guideline Comments 2025	-
Transport and Roads RAG Assessment 2023	-
Transport and Roads Guideline Comments 2023	-
Transport and Roads RAG Assessment 2021	Amber
Transport and Roads Guideline Comments 2021	Any potential impact on the functioning of trunk roads and/or local roads could be reasonably mitigated.
Noise, Vibration, Odour and Light Pollution RAG Assessment 2025	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2025	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2023	-
Noise, Vibration, Odour and Light Pollution Guideline Comments 2023	-
Noise, Vibration, Odour and Light Pollution RAG Assessment 2021	Amber
Noise, Vibration, Odour and Light Pollution Guideline Comments 2021	The site is capable of being developed to provide healthy internal and external environments in regard to noise / vibration/ odour/ Light Pollution after careful site layout, design and mitigation
AQMA RAG Assessment 2025	-
Air Quality Officer Comment 2025	-
AQMA RAG Assessment 2023	-
Air Quality Officer Comment 2023	-
AQMA RAG Assessment 2021	Green

Air Quality Officer	Not suggested for residential use therefore likely low traffic impact on
Comment 2021	AQMA
Contaminated Land RAG Assessment 2025	-
Contaminated Land Officer Comments 2025	-
Contaminated Land RAG Assessment 2023	-
Contaminated Land Officer Comments 2023	-
Contaminated Land RAG Assessment 2021	Green
Contaminated Land Officer Comments 2021	Non-residential use proposed.
Overall Suitability Score	Red
Further constraints	-
Agricultural Land Classification Grade 1	0
Agricultural Land Classification Grade 2	0
Agricultural Land Classification Grade 3	100
Agricultural Land Classification Grade 4	0
Agricultural Land Classification Non Agricultural	0
Agricultural Land Classification Urban	0
Source Protection Zone	0
Highways England Zones	A14 West
Available	-
Is the site controlled by a developer or landowner who has expressed an intention to develop?	The site is an existing Local Plan Allocation but there is no evidence it is currently available.
Are there known legal or ownership impediments to development?	No
Is there planning permission to develop the site?	No relevant recent planning history
When will the site be available for development?	0-5 Years
Available RAG	Red
Achievable	-
Is there a reasonable prospect that the site will be developed?	The land has not been promoted by the landowner and or developer and therefore it is not known to be available for development. The site has a low existing use value and development is likely to be economically viable at an appropriate density.

Achievable RAG	Amber
Capacity	-
Prevailing Density (weighted) (dwellings per ha)	-
Residential capacity at prevailing density	-
Estimated employment space (m2)	34000
Estimated start date	0-5 Years
Estimated annual build-out rate (pa)	-
Development completion timescales (years)	0-5 Years



## Land south of Hattons Road, east of Home Farm Drive, Longstanton assessment



#### A map of Land south of Hattons Road, east of Home Farm Drive, Longstanton

Site information	-
Site ID	115322
HELAA Site ID	40518
Suitable Site Area (ha)	12.23
Ward/Parish	Longstanton
Greenfield or Previously Developed?	Greenfield
Category of site	Dispersal: Villages / Transport Corridor
Category of settlement	Not within or adjacent to an existing settlement
Current use(s)	-
Proposed development	Residential
Proposed employment floorspace (m2)	0
Proposed residential capacity	120
Suitability	-
Adopted Development Plan Policies RAG 2025	Amber

Adopted Development Plan Policies Comment 2025	Development of the site has some potential policy constraints, but these could be overcome through the planning application process.
Flood Risk RAG Assessment 2025	Amber
Flood Risk Officer Comment 2025	Flood Zone: Partly in Flood Zone 2 (5%). Partly in Flood Zone 3 (12%) Surface Water Flooding: 10% lies in a 1 in 30 year event. 4% lies in a 1 in 100 year event.
Flood Risk RAG Assessment 2023	-
Flood Risk Officer Comment 2023	-
Flood Risk RAG Assessment 2021	Amber
Flood Risk Officer Comment 2021	The site contains areas at high, or medium risk from surface water flooding and/or the site contains some land in Flood Zones 2 and/or 3 but there is sufficient land in Flood Zone 1 to accommodate at least 5 additional dwellings or an increase of 500 square metres of employment floorspace.
Landscape RAG Assessment 2025	-
Landscape Comment 2025	-
Landscape RAG Assessment 2023	Amber
Landscape Comment 2023	The proposed number of new homes has been reduced from 150 to 120 and changes have been made to the site layout to reduce the development footprint. However, the location of the site on the Village edge, outside the Development Framework and in a relatively flat landscape means that the assessment remains amber.
Landscape RAG Assessment 2021	Amber
Landscape Comment 2021	The site lies on the western edge of Longstanton village. Although open and level, views to and from the site are limited, with local views restricted to the eastern part of Hattons road and from The Pathfinder PROW. The area immediately north of School lane has been allocated as employment land to the east and Public Open Space west. A lower density than proposed may be achievable with landscape mitigation. the proposed 150 dwellings may be excessive for the village edge location, resulting in a density of over 30DPH.
Biodiversity and Geodiversity RAG Assessment 2025	-
Biodiversity and Geodiversity Officer Comments 2025	-
Biodiversity and Geodiversity Guideline Comments 2025	-
Biodiversity and Geodiversity RAG Assessment 2023	Amber

Biodiversity and Geodiversity Officer Comments 2023	No additional information has been provided in relation to ecology impacts and mitigation and therefore there is no change to the site assessment scoring.
Biodiversity and Geodiversity Guideline Comments 2023	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Biodiversity and Geodiversity RAG Assessment 2021	Amber
Biodiversity and Geodiversity Officer Comments 2021	Discharge to ground or surface water of more than 20m³/day would require consultation with Natural England. Boundary habitats including hedgerows, watercourses and mature trees may qualify as Habitats of Principal Importance/be of high ecological value. Retention of wooded areas outside of the site would be supported. Water vole have been recorded within Longstanton Brook and at least a 5-10m buffer would be required. Otherwise, arable habitats are likely to be of low ecological value, although may support farmland bird populations.
Biodiversity and Geodiversity Guideline Comments 2021	Development of the site may have a detrimental impact on a designated site, or those with a regional or local protection but the impact could be reasonably mitigated or compensated.
Policy RAG Rating 2025	-
Policy Officer Comment 2025	-
Historic Environment RAG Assessment 2025	-
Historic Environment Comments 2025	-
Historic Environment RAG Assessment 2023	Amber
Historic Environment Comments 2023	The revised documents have provided no additional information regarding heritage assets, therefore the previous comments are unchanged. The assessment rating remains the same.
Historic Environment RAG Assessment 2021	Amber
Historic Environment Comments 2021	The North East corner of site is opposite the boundary of the conservation area, which is also the entrance point to the village. Acceptability of the development is dependent on design and layout.
Archaeology RAG Assessment 2025	-
Archaeology Officer Comment 2025	-
Archaeology RAG Assessment 2023	-
Archaeology Officer Comment 2023	-
Archaeology RAG Assessment 2021	Amber
Archaeology Officer Comment 2021	Iron Age, Saxon and Medieval archaeology is recorded to the immediate west
Accessibility RAG Assessment 2025 - Automated	Amber