

Legend

Cambridge City Boundary	Stilling Well
South Cambridgeshire Boundary	Water Baffles
Control Gate	Bridge Abutment
Debris Screen	Demountable Defence
Outfall	Embankment
Ramp	Engineered High Ground
Security Screen	Flood Gate
Steps	Spillway
Stilling Basin	Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 13 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



Legend

Cambridge City Boundary	Stilling Well
South Cambridgeshire Boundary	Water Baffles
Defences (EA Maintained)	Bridge Abutment
Control Gate	Demountable Defence
Debris Screen	Embankment
Outfall	Engineered High Ground
Ramp	Flood Gate
Security Screen	Spillway
Steps	Wall
Stilling Basin	

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km

© Crown copyright and database rights 2025 OS AC0000810824
Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 14 of 37

1:23,960 @ A3	Date: 24/06/2025
Drawn: OJ	Checked: MD
Figure: 332612670/B5	Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 15 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 16 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



Legend

	Cambridge City Boundary		Stilling Well
	South Cambridgeshire Boundary		Water Baffles
Defences (EA Maintained)			Bridge Abutment
	Control Gate		Demountable Defence
	Debris Screen		Embankment
	Outfall		Engineered High Ground
	Ramp		Flood Gate
	Security Screen		Spillway
	Steps		Wall
	Stilling Basin		

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 17 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 18 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 19 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Embankment
 - Debris Screen
 - Engineered High Ground
 - Outfall
 - Flood Gate
 - Ramp
 - Spillway
 - Steps
 - Wall
 - Stilling Basin

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 20 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Embankment
 - Debris Screen
 - Engineered High Ground
 - Outfall
 - Flood Gate
 - Ramp
 - Spillway
 - Security Screen
 - Wall
 - Steps
 - Stilling Basin

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 21 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.




Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 22 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Outfall
 - Ramp
 - Security Screen
 - Steps
 - Stilling Basin
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Spillway
 - Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 23 of 37

1:23,960 @ A3 Date: 24/06/2025
 Drawn: OJ Checked: MD
 Figure: 332612670/B5 Rev A



Legend

Cambridge City Boundary	Stilling Well
South Cambridgeshire Boundary	Water Baffles
Defences (EA Maintained)	Bridge Abutment
Control Gate	Demountable Defence
Debris Screen	Embankment
Outfall	Engineered High Ground
Ramp	Flood Gate
Security Screen	Spillway
Steps	Wall
Stilling Basin	

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 24 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Embankment
 - Engineered High Ground
 - Flood Gate
 - Ramp
 - Spillway
 - Wall
 - Security Screen
 - Steps
 - Stilling Basin

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 25 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



Legend

Cambridge City Boundary	Stilling Well
South Cambridgeshire Boundary	Water Baffles
Control Gate	Bridge Abutment
Debris Screen	Demountable Defence
Outfall	Embankment
Ramp	Engineered High Ground
Security Screen	Flood Gate
Steps	Spillway
Stilling Basin	Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.





Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 26 of 37

1:23,960 @ A3	Date: 24/06/2025
Drawn: OJ	Checked: MD
Figure: 332612670/B5	Rev A



- Legend**
- Cambridge City Boundary
 - South Cambridgeshire Boundary
 - Stilling Well
 - Water Baffles
 - Bridge Abutment
 - Demountable Defence
 - Control Gate
 - Debris Screen
 - Embankment
 - Engineered High Ground
 - Outfall
 - Flood Gate
 - Ramp
 - Security Screen
 - Spillway
 - Wall
 - Steps
 - Stilling Basin

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.



A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km
 © Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number: 27 of 37	1:23,960 @ A3	Date: 24/06/2025
	Drawn: OJ	Checked: MD
	Figure: 332612670/B5	Rev A



Legend

Cambridge City Boundary	Stilling Well
South Cambridgeshire Boundary	Water Baffles
Control Gate	Bridge Abutment
Debris Screen	Demountable Defence
Outfall	Embankment
Ramp	Engineered High Ground
Security Screen	Flood Gate
Steps	Spillway
Stilling Basin	Wall

Notes

This map presents the various hydraulic features that influence the hydrological regime and risk of flooding. The layers are provided by the Environment Agency (EA) and show flood defences currently owned, managed or inspected by the EA.

Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

A defence is any asset that provides flood defence or coastal protection functions. This includes both man-made and natural defences. Natural defences may include man-made elements to make them more effective or protect them from erosion. Normally a number of assets will be used together to manage the risk in a particular area, working in combination within a risk management system.



Greater Cambridge Integrated Water Management Study
Key Hydraulic Features

0 1 2 km

© Crown copyright and database rights 2025 OS AC0000810824
 Contains EA data © Environment Agency copyright and/or database right 2020. All rights reserved.

Sheet Number:
 28 of 37

1:23,960 @ A3	Date: 24/06/2025
Drawn: OJ	Checked: MD
Figure: 332612670/B5	Rev A